

NBR

EQUIPMENT INC.

NEW PRODUCTS
AVAILABLE NOW!



UPDATED UNDERBAR LINE!



MORE 14 GA. WORKTABLES



NEW PRODUCT LINES

**WORKTABLES
SINKS
UNDERBAR
DISH ROOM
SHELVES
FAUCETS**

**Stainless-Steel
Solutions,
Stocked & Ready!**

AQ AutoQuotes

2026 PRODUCT GUIDE

www.nbrequipment.com \ sales@nbrequiment.com \ (609) 642 - 8389



NBR Equipment is a trusted leader in the stainless steel foodservice equipment industry serving commercial kitchens, bars, and all other foodservice operations. Established in 2017, we have quickly grown to become a reliable partner for our customers, by providing high-quality, durable products designed to meet the demands of modern foodservice environments.

At NBR Equipment, we prioritize
quality, customer service, and the relationships we build with our clients.

Quality

At NBR Equipment, quality isn't just a promise, it's our standard. Our products are expertly crafted to stand the test of time and are NSF Certified, ensuring durability, reliability, and safety for your workspace.

Service

Our dedicated team is here to support you every step of the way. From finding the perfect product to scheduling timely shipments, we work fast to keep your projects on track.

Standard Lead Time: 2 - 4 Business Days

Looking for stainless-steel equipment? The NBR team is here to assist! Explore our website to view products, spec sheets, and CAD files, or contact us with your inquiries. You can also find all our products and list pricing on AutoQuotes.

Availability

With two strategically located warehouses in New Jersey & Texas, our products are stocked and ready to ship. Count on us to deliver what you need, when you need it, so you can keep business running smoothly.

Pricing

We understand the importance of staying on budget. NBR offers premium products at competitive prices, making sure you get the best value without compromising on quality.



NBR Equipment Reserves the right to change and improve specifications at any time.

Table of Contents

Intro to Stainless Steel	Page 1-2
Product Detail Pages	Page 3-26
Worktables Section	Page 3-7
Dishroom/Utility Section	Page 8-11
Shelves Section	Page 12
Sinks Section	Page 13-17
Underbar Section	Page 18-26
Worktables	Page 27-46
Worktables	Page 27-32
Enclosed/Cabinet Based Worktables	Page 33-34
Filler Tables	Page 35
Prep Table with Sink Bowl	Page 36
Equipment & Machine Stands	Page 37-38
Hot Food Counters	Page 39-40
Beverage Tables	Page 41
Worktable Accessories	Page 42-46
Dishroom & Utility	Page 47-56
Dish Tables	Page 47-49
Dish Table Accessories	Page 50
Shelves	Page 51
Mobile Soak Sink	Page 52
Free Standing Service Sink	Page 52
Mop Sinks & Mop Sink Cabinets	Page 53-54
Troughs	Page 55
Grease Interceptors	Page 56
Shelving	Page 57-62
Table Mounted Overshelves	Page 57-58
Wall Shelves	Page 59
Flat Bar Pot Racks	Page 60
Microwave/Lavatory/Utility Shelves	Page 61
Wall Cabinets	Page 62
Ceiling Mounted Pot Racks	Page 62
Sinks	Page 63-82
Compartment Sinks	Page 63-72
Hand Sinks	Page 73-75
Mobile Hand Sink	Page 76
Multipurpose Hand & Utility Sink	Page 76
Drop-In Hand Sinks	Page 77-78
Weld-In Sink Bowls	Page 79
Non-NSF Sinks	Page 80
Sink Accessories	Page 81-82

Underbar Equipment	Page 83-108
New Underbar Equipment	Page 83-86
Hand/Dump Sinks	Page 87-88
Blender Stations	Page 89
Mixology Units	Page 90
Underbar Sinks (1-4 Bowl & Drainboards)	Page 91-93
Drop-In Ice Bin Units	Page 94-95
Ice Bins & Cold Plate Options	Page 96
Beer Bin	Page 97
Mobile Ice Bins	Page 97
Pass-Thru Combo Ice Bin/Cocktail Station	Page 98-99
Soda Gun Holders	Page 100
Underbar Machine Stand	Page 100
Glass Rack Cabinets	Page 101-102
Drainboards	Page 102-104
POS Point of Sale Cabinet	Page 104
Speed Station	Page 105
Liquor Display Units	Page 105
Trash Receptacle Cabinet & Cover	Page 106
Blender Station Shelves	Page 106
Speed Rails & Bottle Wells	Page 107
Underbar Accessories	Page 108
Faucets and Plumbing Accessories	Page 109-116
Deck Mount Faucets	Page 109
Wall Mount Faucets	Page 110
Pre-Rinse Faucet Units	Page 111
Foot/Knee Pedal Valve Faucet Units	Page 112
Pot Filler Faucet	Page 112
Dipper Well Faucet	Page 112
Utility Service Sink Faucet	Page 112
Waste Drains	Page 113
Sink Drains, Overflow Tubes & P-Trap	Page 114
Sink Bowl Covers	Page 115
Removable Side Splashes	Page 115
Sink Legs & Sink Cross-Brace Leg Sets	Page 116



Understanding Stainless Steel Strength, Durability & Corrosion Resistance

Gauge - Thickness

Lower Gauge = Thicker Steel

When looking to purchase stainless steel equipment, this is one of the first details to consider.

14 Gauge Stainless Steel

The thickest stainless steel used in our equipment, also making it the most high-quality option. 14 Ga. (gauge) stainless steel is the most impact resistant and the best option for holding heavy equipment. So, you don't have to be as concerned with dents and overall fatigue over a long period of time. NBR has 14 Ga. stainless steel options for Worktables, Dish Cabinets, Machine/Mixer Stands, Beverage Tables, Floor Troughs, Drop-In Ice Bins & more.



16 Gauge Stainless Steel

Great all-around choice for most kitchens and workspaces. 16 Ga. Stainless Steel offers a good mix of durability and versatility to handle daily prep work. Equipment with 16 Ga. stainless steel can be described as a sweet spot for high-end equipment at a great value. Find 16 Ga. stainless steel in NBR products such as our Worktables, Dishtables, Compartment Sinks, Mop Sinks and more.



18 Gauge Stainless Steel

A thinner stainless steel option common for stainless steel equipment in foodservice equipment. Suitable for light duty use for storage or general workspace applications like coffee & sandwich stations. NBR's 18 Gauge stainless steel offers the most economical options for equipment.



Understanding Stainless Steel Strength, Durability & Corrosion Resistance

Series - Corrosion Resistance

300 Series

VS.

400 Series

The next key factor to consider is corrosion resistance.

The series (or grade) of stainless steel refers to its chemical composition, which affects strength, appearance, and longevity. Especially in environments exposed to water, moisture, or cleaning chemicals such as prep areas, dish rooms, and utility spaces.

300 Series stainless steel offer superior corrosion resistance compared to 400 Series, thanks to its nickel content. This makes 300 Series the preferred choice for high-volume, high-moisture kitchens.

Contains Nickel?

300 Series

400 Series

Yes

No

Fun Fact: A magnet will stick to most 400 Series Stainless Steel, but will not with 300 Series.

Galvanized Steel: This is another common option that has a zinc coating for protection but can wear down over time allowing rust to form. While similar in strength, stainless steel provides longer-lasting durability and a cleaner appearance.

Products to look out for to best fit your workspace:

- General Prep
- Hold Heavy Equipment
- Frequent Impact
- Dishwashing & Prep Stations
- Balanced Durability and Value
- Long Term Reliability

- Light Duty
- Dry Storage
- Lightweight
- Practical
- Economical

Look for these Model Numbers:
Worktables starting with: TS-...
Prep Tables starting with: PTS-...
Dishtables ending in: ...-16
Compartment Sinks starting with: SS-...

- ✓ 14 Ga., 16 Ga. & 18 Ga. Top/Body Construction
- ✓ 300 Series Stainless Steel
- ✓ Stainless Steel Undershelves & Cross-Bracing
- ✓ Stainless Steel Legs, Gussets & Bullet Feet


Look for these Model Numbers:
Worktables: TG-...
Prep Tables: PTG-...
Compartment Sinks: SG-...

- ✓ 18 Ga. Top/Body Construction
- ✓ Galvanized Steel Undershelves & Cross-Bracing
- ✓ Galvanized Steel Legs, Gussets
- ✓ Plastic Bullet Feet

All around great quality!

All NBR Equipment's products, (premium, economy or somewhere in the middle) are made with the same high quality craftsmanship and care.

Worktables



Space Between Worktable Legs

Length (Left-Right)

Subtract the total worktable length by 8".

Example: For a 60" long worktable - (such as a TS-6030), the space between the tables legs is 52 inches - $(60" - 8" = 52")$.

For 84" & 96" Worktables, the extra set of legs at the center of the worktable take 2" of the tables length.


Width (Front-Back)

Subtract the total worktable width by 7.5".


Example: For a 30" wide worktable - (such as a TS-6030), the space between the tables legs is 22.5 inches $(30" - 7.5" = 22.5")$.

This includes all TS-, TS6-, TS4- & TG- Models.

Channel Reinforcement



Riser/Backsplash View




Weight Capacities


Table Length (in)	18 Ga. Tops	16 Ga. Tops	14 Ga. Tops
24"	540 lbs	900 lbs	-
30"	540 lbs	900 lbs	900 lbs
36"	540 lbs	900 lbs	900 lbs
48"	540 lbs	900 lbs	900 lbs
60"	540 lbs	610 lbs	650 lbs
72"	380 lbs	400 lbs	420 lbs
*84"	810 lbs	1350 lbs	1350 lbs
*96"	810 lbs	1350 lbs	1350 lbs

Max weight capacity evenly distributed.


Filler Tables




Enclosed/Cabinet Based Worktables





Open Front Dish Cabinets






Heavy Duty Corner Cabinets with Enclosed Base




1-Bowl Prep Tables





Equipment Stands



Machine Stands






Marine Edge Detail




Machine Stands with Utensil Rack


Marine Edge Detail




Hot Food Counters




Beverage Counter with Trash Receptacle




Beverage Counter without Trash Receptacle



Clean Dishtables




Soiled Dishtables







3-Bowl Corner Dishtable with 2 Drainboards






3-Bowl Straight Dishtable with 2 Drainboards






Solid Sorting Shelves






Tubular Sorting Shelves






Tubular Shelves






Floor Mount Mop Sinks



Flush Floor-Mount Mop Sinks: MSF-S24LR




Flush Floor-Mount Mop Sinks: MSF-S24L & MSF-S24R









Mop Sink Cabinets




MSC-2522





MSC-4822L & MSC-4822R




Floor Troughs



Urn Troughs - Drip Plate




Wall Cabinets




Flat Bar Pot Racks


PR1- Models




PR2- Models




1-Bowl Sinks (No Drainboard)




1-Bowl Sinks with Left or Right Drainboard




1-Bowl Sinks with 2-Drainboards




2-Bowl Sinks (No Drainboard)




2-Bowl Sinks with Left or Right Drainboard




2-Bowl Sinks with 2-Drainboards




3-Bowl Sinks (No Drainboard)



3-Bowl Sinks with Left or Right Drainboard




3-Bowl Sinks with 2-Drainboards




Wall Mount Hand Sinks with Towel & Soap Dispenser


HS1-W2-LR-TD




HS2-W2-4-TD



Wall Mount Pedestal Hand Sink




Multipurpose Hand & Utility Sink



Drop-In Hand Sinks


DI-1-... One Bowl Models

DI-1-101410LR




Drop-In Hand Sinks

DI-2-... Two Bowl Models




DI-3-... Three Bowl Models




Non-NSF Sinks


1BSG- Models



2BSG- Models




3BSG- Models




Underbar Sinks


UW-2-101410-24




UW-2-101410-xxL/R




UW-2-101410-48LR





UW-3-101410-36



UW-3-101410-xxL/R




UW-3-101410-xxLR




Underbar Sinks


UW-4-101410-xxLR




UW-4-101410-48




UD-2-101410-48LR




UD-2-101410-xxL/R




UD-2-101410-24




UD-3-101410-36




UD-3-101410-xxL/R




UD-3-101410-xxLR



UD-4-101410-48




UD-4-101410-xxLR




Ice Bin/Cocktail Units


IB-xxxx




IBC-xxxxC7




IBC-xxxxC10




Beer Bin




Mobile Ice Bin




Add-On Blender Station Shelf




Pass-Thru Station Soda Gun Holder



Soda Gun Holders




Add on Double Speed Rail




Additional Overshelves for Pass-Thru Station

NPO-4215S






NPO-4215D






Glass Rack Cabinets with Perforated Drainboard

Top for NGC-243 & NGC-242




Top for NGC-243B & NGC-242B




Glass Rack Cabinets


Top for GRC24-2 & GRC24-3




GRC24-2






GRC24-3




Side for GRC24-2 & GRC24-3




Recessed Underbar Drainboards




Drainboard with Perforated Insert




Slim Drainboard with Ribbed Top



Drainboard with Cabinet Base & Locking Door




Underbar Speed Station




Liquor Displays

LD-xxxx Modes

NLD-xxxx Modes




LDC-xxxx Modes




Trash Receptacle Cabinet & Cover

TRC-1224



NTC-1224





Premium Worktables



TS-4830R



TS6-4830

16 Gauge Models have 1-1/2"
Bullnose Front Edge
(Rear Edge is also Bullnose for
16 Ga. Flat Top Models)



30" Width TS4- 14 Gauge Worktable
Options Available Now!



TS4-6036R5

Details

- Stainless Steel Top Options
 - 18 Gauge 430 Stainless Steel
 - 16 Gauge 304 Stainless Steel
 - 14 Gauge 304 Stainless Steel
- 18 & 14 Gauge Models have Straight Turndown Edges
- 18 Gauge Stainless Steel Adjustable Undershelf
- Stainless Steel Legs
- Stainless Steel Gussets
- Adjustable Bullet Feet
- * 84" & 96" Long Tables have 6 Legs

Details can be found on pages 3 & 4.



Add Worktable Accessories! See pages 42 - 46 & 57 - 58.



Bun Pan Rack
Table Mounted



Self-Closing Table Drawers



Table Mounted
Overshelves



Table Mounted
Pot Rack

Premium Worktables

Length x Width (in)	18 Gauge Flat Top	18 Ga. - 1.5" Backsplash	18 Ga. - 5" Backsplash	16 Gauge Flat Top	16 Ga. - 5" Backsplash	14 Gauge Flat Top	14 Ga. - 1.5" Backsplash	14 Ga. - 5" Backsplash
24" X 18"	TS-2418	TS-2418R	-	-	-	-	-	-
30" X 18"	TS-3018	TS-3018R	-	-	-	-	-	-
36" X 18"	TS-3618	TS-3618R	-	-	-	-	-	-
48" X 18"	TS-4818	TS-4818R	-	-	-	-	-	-
60" X 18"	TS-6018	TS-6018R	-	-	-	-	-	-
72" X 18"	TS-7218	TS-7218R	-	-	-	-	-	-
84" X 18"	TS-8418*	TS-8418R*	-	-	-	-	-	-
96" X 18"	TS-9618*	TS-9618R*	-	-	-	-	-	-
24" x 24"	TS-2424	TS-2424R	TS-2424R5	TS6-2424	TS6-2424R5	-	-	-
30" x 24"	TS-3024	TS-3024R	TS-3024R5	TS6-3024	TS6-3024R5	-	-	-
36" x 24"	TS-3624	TS-3624R	TS-3624R5	TS6-3624	TS6-3624R5	-	-	-
48" X 24"	TS-4824	TS-4824R	TS-4824R5	TS6-4824	TS6-4824R5	-	-	-
60" X 24"	TS-6024	TS-6024R	TS-6024R5	TS6-6024	TS6-6024R5	-	-	-
72" X 24"	TS-7224	TS-7224R	TS-7224R5	TS6-7224	TS6-7224R5	-	-	-
84" X 24"	TS-8424*	TS-8424R*	TS-8424R5*	TS6-8424*	TS6-8424R5*	-	-	-
96" X 24"	TS-9624*	TS-9624R*	TS-9624R5*	TS6-9624*	TS6-9624R5*	-	-	-
30" X 30"	TS-3030	TS-3030R	TS-3030R5	TS6-3030	TS6-3030R5	TS4-3030	-	TS4-3030R5
36" X 30"	TS-3630	TS-3630R	TS-3630R5	TS6-3630	TS6-3630R5	TS4-3630	-	TS4-3630R5
48" X 30"	TS-4830	TS-4830R	TS-4830R5	TS6-4830	TS6-4830R5	TS4-4830	-	TS4-4830R5
60" X 30"	TS-6030	TS-6030R	TS-6030R5	TS6-6030	TS6-6030R5	TS4-6030	-	TS4-6030R5
72" X 30"	TS-7230	TS-7230R	TS-7230R5	TS6-7230	TS6-7230R5	TS4-7230	-	TS4-7230R5
84" X 30"	TS-8430*	TS-8430R*	TS-8430R5*	TS6-8430*	TS6-8430R5*	TS4-8430*	-	TS4-8430R5*
96" X 30"	TS-9630*	TS-9630R*	TS-9630R5*	TS6-9630*	TS6-9630R5*	TS4-9630*	-	TS4-9630R5*
24" X 36"	-	-	-	-	-	-	-	TS4-2436R5
48" X 36"	-	-	-	-	-	TS4-4836	TS4-4836R	TS4-4836R5
60" X 36"	-	-	-	-	-	TS4-6036	TS4-6036R	TS4-6036R5
72" X 36"	-	-	-	-	-	TS4-7236	TS4-7236R	TS4-7236R5
84" X 36"	-	-	-	-	-	TS4-8436*	-	TS4-8436R5*

Premium Cross-Braced Worktables



TS-4830R-X



TS6-4830-X

16 Gauge Models have 1-1/2" Bullnose Front Edge
(Rear Edge is also Bullnose for 16 Ga. Flat Top Models)

Details

- Stainless Steel Top Options
 - 18 Gauge 430 Stainless Steel
 - 16 Gauge 304 Stainless Steel
 - 14 Gauge 304 Stainless Steel
- 18 & 14 Gauge Models have Straight Turndown Edges
- Stainless Steel Side & Rear Cross Bracing
- Stainless Steel Legs
- Stainless Steel Gussets
- Adjustable Bullet Feet
- * 84" & 96" Long Tables have 6 Legs



30" Width TS4- 14 Gauge Worktable
Options Available Now!



TS4-6036R5-X

Details can be found on pages 3 & 4.

Add Worktable Accessories! See pages 42 - 46 & 57 - 58.



Self-Closing Table Drawers



Table Mounted
Overshelves



Casters &
Caster Leg Sets



Table Mounted Pot Rack



Table Mounted Bun Pan rack

Premium Cross-Braced Worktables

Length x Width (in)	18 Ga. - Flat Top	18 Ga. - 1.5" Backsplash	18 Ga. - 5" Backsplash	16 Ga. - Flat Top	16 Ga. - 5" Backsplash	14 Ga. - Flat Top	14 Ga. - 1.5" Backsplash	14 Ga. - 5" Backsplash
24" x 24"	TS-2424-X	TS-2424R-X	TS-2424R5-X	TS6-2424-X	TS6-2424R5-X	-	-	-
30" x 24"	TS-3024-X	TS-3024R-X	TS-3024R5-X	TS6-3024-X	TS6-3024R5-X	-	-	-
36" x 24"	TS-3624-X	TS-3624R-X	TS-3624R5-X	TS6-3624-X	TS6-3624R5-X	-	-	-
48" X 24"	TS-4824-X	TS-4824R-X	TS-4824R5-X	TS6-4824-X	TS6-4824R5-X	-	-	-
60" X 24"	TS-6024-X	TS-6024R-X	TS-6024R5-X	TS6-6024-X	TS6-6024R5-X	-	-	-
72" X 24"	TS-7224-X	TS-7224R-X	TS-7224R5-X	TS6-7224-X	TS6-7224R5-X	-	-	-
84" X 24"	TS-8424-X*	TS-8424R-X*	TS-8424R5-X*	TS6-8424-X*	TS6-8424R5-X*	-	-	-
96" X 24"	TS-9624-X*	TS-9624R-X*	TS-9624R5-X*	TS6-9624-X*	TS6-9624R5-X*	-	-	-
30" X 30"	TS-3030-X	TS-3030R-X	TS-3030R5-X	TS6-3030-X	TS6-3030R5-X	TS4-3030-X	-	TS4-3030R5-X
36" X 30"	TS-3630-X	TS-3630R-X	TS-3630R5-X	TS6-3630-X	TS6-3630R5-X	TS4-3630-X	-	TS4-3630R5-X
48" X 30"	TS-4830-X	TS-4830R-X	TS-4830R5-X	TS6-4830-X	TS6-4830R5-X	TS4-4830-X	-	TS4-4830R5-X
60" X 30"	TS-6030-X	TS-6030R-X	TS-6030R5-X	TS6-6030-X	TS6-6030R5-X	TS4-6030-X	-	TS4-6030R5-X
72" X 30"	TS-7230-X	TS-7230R-X	TS-7230R5-X	TS6-7230-X	TS6-7230R5-X	TS4-7230-X	-	TS4-7230R5-X
84" X 30"	TS-8430-X*	TS-8430R-X*	TS-8430R5-X*	TS6-8430-X*	TS6-8430R5-X*	TS4-8430-X*	-	TS4-8430R5-X*
96" X 30"	TS-9630-X*	TS-9630R-X*	TS-9630R5-X*	TS6-9630-X*	TS6-9630R5-X*	TS4-9630-X*	-	TS4-9630R5-X*
48" X 36"	-	-	-	-	-	TS4-4836-X	TS4-4836R-X	TS4-4836R5-X
60" X 36"	-	-	-	-	-	TS4-6036-X	TS4-6036R-X	TS4-6036R5-X
72" X 36"	-	-	-	-	-	TS4-7236-X	TS4-7236R-X	TS4-7236R5-X
84" X 36"	-	-	-	-	-	TS4-8436-X*	-	TS4-8436R5-X*

Economy Worktables



TG-4830R



TG-4830



TG-4830R5

Length x Width (Inches)	Flat Top	1.5" Backsplash	5" Backsplash
36" x 18"	TG-3618	TG-3618R	-
48" X 18"	TG-4818	TG-4818R	-
60" X 18"	TG-6018	TG-6018R	-
72" X 18"	TG-7218	TG-7218R	-
96" X 18"	TG-9618	TG-9618R*	-
24" x 24"	TG-2424	TG-2424R	TG-2424R5
30" x 24"	TG-3024	TG-3024R	TG-3024R5
36" x 24"	TG-3624	TG-3624R	TG-3624R5
48" X 24"	TG-4824	TG-4824R	TG-4824R5
60" X 24"	TG-6024	TG-6024R	TG-6024R5
72" X 24"	TG-7224	TG-7224R	TG-7224R5
84" X 24"	TG-8424	TG-8424R*	TG-8424R5*
96" X 24"	TG-9624	TG-9624R*	TG-9624R5*
30" X 30"	TG-3030	TG-3030R	TG-3030R5
36" X 30"	TG-3630	TG-3630R	TG-3630R5
48" X 30"	TG-4830	TG-4830R	TG-4830R5
60" X 30"	TG-6030	TG-6030R	TG-6030R5
72" X 30"	TG-7230	TG-7230R	TG-7230R5
84" X 30"	TG-8430	TG-8430R*	TG-8430R5*
96" X 30"	TG-9630	TG-9630R*	TG-9630R5*

Details

- 18 Gauge 430 Stainless Steel Top
- Straight Turndown on Edges
- Galvanized Steel Adjustable Underself - 18 Gauge
- Galvanized Steel legs
- Adjustable Plastic Bullet Feet
- * 84" & 96" Long Tables have 6 Legs

Details can be found on pages 3 & 4.

Add Worktable Accessories!

See pages 42 - 46 & 57 - 58.



Table Mounted Bun Pan rack



Self-Closing Table Drawers



Table Mounted Pot Rack

Economy Cross-Braced Worktables



TG-4830R-X



TG-4830-X



TG-4830R5-X

Details

- 18 Gauge 430 Stainless Steel Top
- Straight Turndown on Edges
- Galvanized Steel Side & Rear Cross Bracing
- Galvanized Steel legs
- Adjustable Plastic Bullet Feet
- * 84" & 96" Long Tables have 6 Legs

Details can be found on pages 3 & 4.

Add Worktable Accessories!

See pages 42 - 46 & 57 - 58.



Table Mounted
Overshelves



Casters &
Caster Leg Sets

Length x Width (Inches)	Flat Top	1.5" Backsplash	5" Backsplash
24" x 24"	TG-2424-X	TG-2424R-X	TG-2424R5-X
30" x 24"	TG-3024-X	TG-3024R-X	TG-3024R5-X
36" x 24"	TG-3624-X	TG-3624R-X	TG-3624R5-X
48" X 24"	TG-4824-X	TG-4824R-X	TG-4824R5-X
60" X 24"	TG-6024-X	TG-6024R-X	TG-6024R5-X
72" X 24"	TG-7224-X	TG-7224R-X	TG-7224R5-X
84" X 24"	TG-8424-X	TG-8424R-X*	TG-8424R5-X*
96" X 24"	TG-9624-X	TG-9624R-X*	TG-9624R5-X*
30" X 30"	TG-3030-X	TG-3030R-X	TG-3030R5-X
36" X 30"	TG-3630-X	TG-3630R-X	TG-3630R5-X
48" X 30"	TG-4830-X	TG-4830R-X	TG-4830R5-X
60" X 30"	TG-6030-X	TG-6030R-X	TG-6030R5-X
72" X 30"	TG-7230-X	TG-7230R-X	TG-7230R5-X
84" X 30"	TG-8430-X	TG-8430R-X*	TG-8430R5-X*
96" X 30"	TG-9630-X	TG-9630R-X*	TG-9630R5-X*

Open Front Dish Cabinets



DC-1548

Details

- 14 Gauge 304 Stainless Steel Top
- 18 Gauge Stainless Steel Base
- Fixed Position Middle-Shelf
- 6" Stainless Steel Adjustable Bullet Feet

Details can be found on page 5.

Length x Width (Inches)	Model
36" X 15"	DC-1536
48" X 15"	DC-1548
60" x 15"	DC-1560
72" x 15"	DC-1572

Length x Width (Inches)	Model
36" X 18"	DC-1836
48" X 18"	DC-1848
60" X 18"	DC-1860
72" X 18"	DC-1872

Heavy Duty Corner Cabinets with Enclosed Base



TCBC-3624R5

Details

- 14 Gauge 304 Stainless Steel Top
- 18 Gauge 304 Stainless Steel Body
- Stainless Steel Panels on Sides & Rear
- Adjustable Stainless Steel Middle Shelf
- Fixed Lower Shelf
- Stainless Steel Hinged Door
- Stainless Steel Legs
- Stainless Steel Bullet Feet
- TCBC-3624R5-1410: Only Available for Special Order
 - Includes a Welded-In 14"L x 10W x 10H Sink Bowl in the Worktop

Length x Width (Inches)	Model
36" X 24"	TCBC-3624R5
48" X 30"	TCBC-4830R5
36" X 24"	TCBC-3624R5-1410

Details can be found on page 5.



TCBC-3624R5-1410

Enclosed/Cabinet Based Worktables



Details

- 14 Gauge 304 Stainless Steel Top
- Straight Turndown on Sides
- 18 Gauge Stainless Steel Body
- Enclosed with Stainless Steel Panels on Sides & Rear
- Adjustable Middle Shelf Included
- 6" Stainless Steel Adjustable Legs
- Adjustable Stainless Bullet Feet
- "S" Models Include Two Sliding Doors

Details can be found on page 5.

Length x Width (Inches)	Flat Top	Flat Top with Doors	5" Backsplash	5" Backsplash with Doors
36" x 24"	-	TCB-3624S	-	-
48" X 24"	TCB-4824	TCB-4824S	TCB-4824R5	TCB-4824R5S
60" X 24"	TCB-6024	TCB-6024S	TCB-6024R5	TCB-6024R5S
72" X 24"	TCB-7224	TCB-7224S	TCB-7224R5	TCB-7224R5S
36" X 30"	-	TCB-3630S	-	TCB-3630R5S
48" X 30"	TCB-4830	TCB-4830S	TCB-4830R5	TCB-4830R5S
60" X 30"	TCB-6030	TCB-6030S	TCB-6030R5	TCB-6030R5S
72" X 30"	TCB-7230	TCB-7230S	TCB-7230R5	TCB-7230R5S

Filler Tables



TS-F1824

TS-F Model Details

- 18 Gauge Stainless Steel Adjustable Undershelf
- Stainless Steel Legs
- Stainless Steel Gussets
- Adjustable Bullet Feet

TG-F Model Details

- Galvanized Legs
- Galvanized Adjustable Undershelf - 18 Gauge
- Galvanized Gussets
- Adjustable Plastic Bullet Feet

Details

- 18 Gauge 430 Stainless Steel Top
- 1-1/2" Backsplash / Rear Up-Turn
- Straight Turndown Edges

Details can be found on page 5.



TS-F... Premium Models

Length x Width (Inches)	Model Number
15" x 24"	TS-F1524
18" x 24"	TS-F1824
15" X 30"	TS-F1530
18" X 30"	TS-F1830
24" X 30"	TS-F2430
12" X 36"	TS-F1236
15" X 36"	TS-F1536
18" X 36"	TS-F1836

TG-F... Economy Models

Length x Width (Inches)	Model Number
15" x 24"	TG-F1524
18" x 24"	TG-F1824
15" X 30"	TG-F1530
18" X 30"	TG-F1830
24" X 30"	TG-F2430



Add Casters!

Stem Caster:
ES-5-PU-B
Stem Caster w/ Brake:
ES-5-PU-B-TLB

1-Bowl Prep Tables



PTS-1620L4



PTS-1620R4

Details

- 18 Gauge 304 Stainless Steel Top
- Marine Edges - 1-3/4" L x 1" H
- Straight Turndown on Sides
- 5" Backsplash
- Sink Bowl on Left or Right Hand Side
- 3-1/2" Drain Opening with Drain Basket Included
- One Set of Deck Mount Faucet Holes with 4" Centers (faucet not included)

Details can be found on page 6.

Complete Your Workstation!

Additional Accessories:



Deck Mount Faucets
(P3D4S10)



Waste Drains
(P5TD1)



Cross-Bracing (See Page 46)

PTS-1620 Models

- Stainless Steel Legs
- Stainless Steel Adjustable Undershelf
- Stainless Steel Adjustable Bullet Feet

PTG-1620 Models

- Galvanized Steel Legs
- Galvanized Steel Adjustable Undershelf
- Plastic Adjustable Bullet Feet

PTS-1620... Premium Models

Length x Width (Inches)	Bowl on Left	Bowl on Right	Bowl Size L" x W" x D"
48" X 30"	PTS-1620L4	PTS-1620R4	16" x 20" x 10"
60" X 30"	PTS-1620L5	PTS-1620R5	16" x 20" x 10"
72" X 30"	PTS-1620L6	PTS-1620R6	16" x 20" x 10"

PTG-1620... Economy Models

Length x Width (Inches)	Bowl on Left	Bowl on Right	Bowl Size L" x W" x D"
48" X 30"	PTG-1620L4	PTG-1620R4	16" x 20" x 10"
60" X 30"	PTG-1620L5	PTG-1620R5	16" x 20" x 10"
72" X 30"	PTG-1620L6	PTG-1620R6	16" x 20" x 10"

Equipment Stands



ESS-2430

ESS- Models

- Stainless Steel Legs
- Stainless Steel Adjustable Undershelf
- Stainless Steel Bullet Feet
- Weight Capacity of 1300 lbs.

ESG- Models

- Galvanized Steel Legs
- Galvanized Steel Adjustable Undershelf
- Plastic Adjustable Bullet Feet
- Weight Capacity of 1000 lbs.

Details

- 18 Gauge 430 Stainless Steel Top
- 1-1/2" Turned Up Edge on Back & Both Sides
- Working Height 24"
- ESS-7230 & ESG-7230 models have an Extra Set of Legs (6 Legs)

Details can be found on page 6.

ESS-... Premium Models

Length (Inches)	Width (Inches)	Model
15"	30"	ESS-1530
18"	30"	ESS-1830
24"	30"	ESS-2430
36"	30"	ESS-3630
48"	30"	ESS-4830
60"	30"	ESS-6030
72"	30"	ESS-7230

ESG-... Economy Models

Length (Inches)	Width (Inches)	Model
15"	30"	ESG-1530
18"	30"	ESG-1830
24"	30"	ESG-2430
36"	30"	ESG-3630
48"	30"	ESG-4830
60"	30"	ESG-6030
72"	30"	ESG-7230



Add Casters!

Stem Caster:
ES-5-PU-B
Stem Caster w/ Brake:
ES-5-PU-B-TLB

Machine/Mixer Stands

MSS- Models

- Stainless Steel Legs
- 18 Gauge Stainless Steel Adjustable Undershelf with Aluminum Corners
- Stainless Steel Adjustable Bullet Feet
- Weight Capacity of 1300 lbs.

MSG-Models

- Galvanized Steel Legs
- Galvanized Steel Adjustable Undershelf with Aluminum Corners
- Plastic Adjustable Bullet Feet
- Weight Capacity of 1000 lbs.



MSS-3024

Details

- Heavy Duty
- 14 Gauge 304 Stainless Steel Top
- Marine Edges
- Stainless Steel Legs
- Adjustable Undershelf with Aluminum Corners
- Stand Height: 20-1/4"

MSG-... Economy Models

Length x Width (Inches)	Model
24" X 24"	MSG-2424
30" X 24"	MSG-3024
30" X 30"	MSG-3030
36" x 30"	MSG-3630

MSS-... Premium Models

Length x Width (Inches)	Model
24" X 24"	MSS-2424
30" X 24"	MSS-3024
30" X 30"	MSS-3030
36" x 30"	MSS-3630

Details can be found on page 6.



MSS-xxxxUR Models

- Includes 78"L, 1-5/8" diam. Stainless Steel Utensil Rack with Stainless Steel Hooks
- Stand Height: 24"
- Stainless Steel Legs
- 18 Gauge Stainless Steel Adjustable Undershelf with Aluminum Corners
- Stainless Steel Adjustable Bullet Feet
- Weight Capacity of 1300 lbs.

Length x Width (Inches)	Model
24" x 24"	MSS-2424UR
30" x 24"	MSS-3024UR
30" x 30"	MSS-3030UR



MSS-3024UR

Hot Food Counters with Sealed Wells



Top View of
HT-3SW-240



Length x Width (Inches)	Model	Number of Wells
44-3/8" X 30-1/2"	HT-3SW-240	3
44-3/8" X 30-1/2"	HT-3SW-240B	3
58-3/8" X 30-1/2"	HT-4SW-240	4
58-3/8" X 30-1/2"	HT-4SW-240B	4

Details

- 20 Gauge 304 Stainless Steel
- Stainless Steel Bullet Feet
- 12" x 20" Sealed Wells
- Individual Infinite Controls with Indicator Lights
- 3/8" Thick x 8" Wide Poly Cutting Board
- Adjustable Stainless Steel Legs
- 750W Per Well (240v).
- Both 3 & 4 Well Models: NEMA plug 6-20
- "...B" Models are Enclosed/Cabinet Based

Details can be found on page 7.

Hot Food Counters with Open Wells



Top View of
HT-3W-120

Details

- 20 Gauge 304 Stainless Steel
- Stainless Steel Bullet Feet
- 12" x 20" Open Wells
- Individual Infinite Controls with Indicator Lights
- 3/8" Thick x 8" Wide Poly Cutting Board
- Adjustable Stainless Steel Legs
- 500W Per Well (120v).
- Three Well Models: NEMA plug 5-20
- Four Well Models: NEMA plug L5-30
- "...B" Models are Enclosed/Cabinet Based


Length x Width (Inches)	Model	Number of Wells
44-3/8" X 30-1/2"	HT-3W-120	3
44-3/8" X 30-1/2"	HT-3W-120B	3
58-3/8" X 30-1/2"	HT-4W-120	4
58-3/8" X 30-1/2"	HT-4W-120B	4

Details can be found on page 7.

Hot Food Counter Accessories

Details

- 18 Gauge 304 Stainless Steel
- 13" of Clearance From Top of Counter to Shelf



Overshelf For Hot Food Counters

Length x Width (Inches)	Model	Fits
44-3/8" X 12"	HT-3-SOS	3 Well Models
58-3/8" X 12"	HT-4-SOS	4 Well Models

Water Pan

Details

- Stainless Steel
- Fits Open Well Hot Food Counter Models



Length x Width (Inches)	Model	Pan Height
13-1/2" X 21-1/4"	HT-1P	6-1/4"



Plate Casters

Model

3TP-5-PU-B
3TP-5-PU-B-TLB

Details

- Top Plate - 2-3/8" x 3-5/8"
- 5" Diameter x 1-1/4" Width Wheel
- Caster has an Overall Height of 6"
- "-TLB" Model Includes Top Locking Brake
- Blue Polyurethane on Gray Poly
- Sold Individually

Spare Parts Kit



Details

- Includes: Thermostat, Heating Element Limit Switch (for SW Models) & Power Light

Model	Fits
HT-SPW	Open Well Models
HT-SPSW	Sealed Well Models



Beverage Tables



BEV-6030L



BEV-T6030L

Length x Width (Inches)	Model	Sink Placement	Tough Size (Overall)
60" X 30"	BEV-6030L	Left Side	26"L x 6-11/25"W
60" X 30"	BEV-6030R	Right Side	26"L x 6-11/25"W
60" X 30"	BEV-T6030L	Left Side	20"L x 6-11/25"W
60" X 30"	BEV-T6030R	Right Side	20"L x 6-11/25"W
72" X 30"	BEV-7230L	Left Side	38"L x 6-11/25"W
72" X 30"	BEV-7230R	Right Side	38"L x 6-11/25"W
72" X 30"	BEV-T7230L	Left Side	26"L x 6-11/25"W
72" X 30"	BEV-T7230R	Right Side	26"L x 6-11/25"W



Details

- 14 Gauge 304 Stainless Steel Top
- Marine Edge
- 5" Backsplash
- 18 gauge 304 Stainless Steel Base
- 6" Stainless Steel Legs
- Stainless Steel Bullet Feet
- Sink Bowl - 14" L x 16" W x 12" Deep
- Table Mounted Urn Trough
- Two Adjustable Shelves
- Hinged Doors
- Standard Electric Outlet
- One Set of Splash Mount Faucet Holes with 4" Centers
- BEV-T Models Include Trash Receptacle Cabinet Opposite of the Sink. Accommodates Slim Jim Trash Can 11"L x 22"W x 25"H (Trash Can Not Included)


Details can be found on page 7.

Corner Guards

Details

- 16 Gauge 304 Stainless Steel
- 2" Length x 2" Width Dimensions
- Includes Adhesive Tape Backing

Height (Inches)	Model	Corner
48"	CGO-48	Outside
60"	CGO-60	Outside
72"	CGO-72	Outside
48"	CGI-48	Inside
60"	CGI-60	Inside
72"	CGI-72	Inside



**Inside
Corner Guard**



**Outside
Corner Guard**



Table-Mounted Bun Pan Rack



Details

- Table-Mounted Bun Pan Rack for 30" and 36" Wide Work Tables
- Six Fixed Slides
- Holds 18" x 26" Sheet Pans - 3" Spacing
- Aluminum Construction
- Easily Integrates into Existing Work Stations

Model	Length x Width x Height (Inches)
TMR-6P	20-1/4" x 26" x 25"







Table Drawers & Drawer Pans



Details

- 18 Gauge 304 Stainless Steel; Fabricated
- Self Closing
- 5" Deep Drawer Pan
- Universal Mounting Kit Included
- 200 lbs. Capacity




Length x Width (Inches)	Model	Pan Size Length x Width	Includes Lock	Fits Table Depth (front-back)	Total Bracket Size
25" X 17-1/2"	TDR-1820*	15" X 20"	-	18"	13-3/5"
25" X 17-1/2"	TDR-1820L*	15" X 20"	Yes	18"	13-3/5"
19-1/2" X 23-7/8"	TDR-2015	15" X 20"	-	24" / 30" / 36"	21-4/5" to 30-1/10"
19-1/2" X 23-7/8"	TDR-2015L	15" X 20"	Yes	24" / 30" / 36"	21-4/5" to 30-1/10"
25" X 23-7/8"	TDR-2020	20" X 20"	-	24" / 30" / 36"	21-4/5" to 30-1/10"
25" X 23-7/8"	TDR-2020L	20" X 20"	Yes	24" / 30" / 36"	21-4/5" to 30-1/10"
15" X 20"	PAN-2015	-	-	-	-
20" X 20"	PAN-2020	-	-	-	-

Mounting Brackets with multiple Worktable size options.



Additional Extension for 30" Wide Worktables



Attaches to Worktable's Channels with included Self Drilling Screws.



Removeable Stainless Steel Pan allows easy access for cleaning.



Recommended to install with Worktable upside down on clean surface. If Worktable and Drawer are purchased together, install Drawer before assembling Worktable.

Adjustable Feet

						
Model	FT-RS	FT-RG	FT-RSP	FT-RP	FT-RSF	FT-RSFH
Description	Round Bullet Foot	Round Bullet Foot	Round Bullet Foot	Round Bullet Foot	Round Flange Foot w/ Plate	Round Flange Foot w/ Plate (2 Holes)
Material	Stainless Steel	Galvanized Steel	Stainless Steel/Plastic	Plastic	Stainless Steel	Stainless Steel

Leg with Plate & Leg Sockets

						
Model	LS-1	LS-S	LS-G	LS-SP	LS-GP	LSM-S
Description	6" Leg w/ Plate	Round Socket	Round Socket	Socket w/ Square Plate	Socket w/ Square Plate	Mini Leg Socket, Double Bevelled Gusset
Material	Stainless Steel	Stainless Steel	Galvanized Steel	Stainless Steel	Galvanized Steel	Stainless Steel

Casters, Caster Legs & Caster Leg Sets

						
Model	ES-5-PU-B	ES-5-PU-B-TLB	3TP-5-PU-B	3TP-5-PU-B-TLB	LC-S	LC-G
Description	Stem Caster, Wheel Size - 5" diam x 1-1/4"W Overall Height of 6"	Stem Caster, Top Locking Brake. Wheel Size - 5" diam x 1-1/4"W Overall Height of 6"	Plate Caster, Plate Size - 2-3/8"L x 3-5/8"W Wheel Size - 5" diam x 1-1/4"W Overall Height of 6"	Plate Caster, Top Locking Brake. Plate Size - 2-3/8"L x 3-5/8"W Wheel Size - 5" diam x 1-1/4"W Overall Height of 6"	Caster Leg, Stainless Steel, 1-5/8" diam. x 28-3/4"L	Caster Leg, Galvanized Steel, 1-5/8" diam. x 28-3/4"L

Model	Caster Leg Set Description
LC-G4	4 Casters, 2 with Brakes, Galvanized Legs, Keeps Table Working Height at 35-1/2"
LC-G6	6 Casters, 2 with Brakes, Galvanized Legs, Keeps Table Working Height at 35-1/2"
LC-S4	4 Casters, 2 with Brakes, Stainless Steel Legs, Keeps Table Working Height at 35-1/2"
LC-S6	6 Casters, 2 with Brakes, Stainless Steel Legs, Keeps Table Working Height at 35-1/2"



Cross-Brace Fittings



Model	BR-1	BR-2	BR-3
Description	End Cross-Brace Fitting: 1-1/4" Bracing	Corner Cross-Brace Fitting: 1-1/4" Bracing	Center Cross-Brace Fitting: 1-1/4" Bracing
Material	Aluminum	Aluminum	Aluminum

Worktable Legs



Model	LT-S	LT-G	LT-S4	LT-G4
Description	Stainless Steel Worktable Leg	Galvanized Steel Worktable Leg	Stainless Steel Leg Set (4) Legs	Galvanized Steel Leg Set (4) Legs
Leg Size	1-5/8" diam. x 33-1/4"L	1-5/8" diam. x 33-1/4"L	1-5/8" diam. x 33-1/4"L	1-5/8" diam. x 33-1/4"L

Table Mounted Pot Rack & Hooks



Model	HK1	HK2
Description	Single Prong Hook for Pot Racks - Fits 1/4" Rod	Double Prong Hook for Pot Racks - Fits 1/4" Rod
Material	Stainless Steel	Stainless Steel

Details

- 304 Stainless Steel
- 2"H x 5mm Wide Stainless Steel Bar
- Fits Between Worktable Legs
- Includes Six Double Prong Hooks (HK2)



Fits Table Width	Model
24"W Worktable	PR-T24
30"W Worktable	PR-T30
36"W Worktable	PR-T36

Worktable Cross-Brace Sets



Model	Worktable Size (L" x W")	Material	Parts
CRG-2424	24" x 24"	Galvanized Steel	(3) CBSRG-24, (2) BR-1, (2) BR-2
CRG-2430	30" x 24"	Galvanized Steel	(2) CBSRG-24, (1) CBBRG-30, (2) BR-1, (2) BR-2
CRG-2436	36" x 24"	Galvanized Steel	(2) CBSRG-24, (1) CBBRG-36, (2) BR-1, (2) BR-2
CRG-2448	48" x 24"	Galvanized Steel	(2) CBSRG-24, (1) CBBRG-48, (2) BR-1, (2) BR-2
CRG-2460	60" x 24"	Galvanized Steel	(2) CBSRG-24, (1) CBBRG-60, (2) BR-1, (2) BR-2
CRG-2472	72" x 24"	Galvanized Steel	(2) CBSRG-24, (1) CBBRG-72, (2) BR-1, (2) BR-2
CRG-2484	84" x 24"	Galvanized Steel	(3) CBSRG-24, (2) CBBRG-84, (3) BR-1, (2) BR-2 & (1) BR-3
CRG-2496	96" x 24"	Galvanized Steel	(3) CBSRG-24, (2) CBBRG-96, (3) BR-1, (2) BR-2 & (1) BR-3
CRG-3030	30" x 30"	Galvanized Steel	(2) CBSRG-30, (1) CBBRG-30, (2) BR-1, (2) BR-2
CRG-3036	36" x 30"	Galvanized Steel	(2) CBSRG-30, (1) CBBRG-36, (2) BR-1, (2) BR-2
CRG-3048	48" x 30"	Galvanized Steel	(2) CBSRG-30, (1) CBBRG-48, (2) BR-1, (2) BR-2
CRG-3060	60" x 30"	Galvanized Steel	(2) CBSRG-30, (1) CBBRG-60, (2) BR-1, (2) BR-2
CRG-3072	72" x 30"	Galvanized Steel	(2) CBSRG-30, (1) CBBRG-72, (2) BR-1, (2) BR-2
CRG-3084	84" x 30"	Galvanized Steel	(3) CBSRG-30, (2) CBBRG-84, (3) BR-1, (2) BR-2 & (1) BR-3
CRG-3096	96" x 30"	Galvanized Steel	(3) CBSRG-30, (2) CBBRG-96, (3) BR-1, (2) BR-2 & (1) BR-3
CRS-2424	24" x 24"	Stainless Steel	(3) CBSRS-24, (2) BR-1 (2) BR-2
CRS-2430	30" x 24"	Stainless Steel	(2) CBSRS-24, (1) CBBRS-30, (2) BR-1, (2) BR-2
CRS-2436	36" x 24"	Stainless Steel	(2) CBSRS-24, (1) CBBRS-36, (2) BR-1, (2) BR-2
CRS-2448	48" x 24"	Stainless Steel	(2) CBSRS-24, (1) CBBRS-48, (2) BR-1, (2) BR-2
CRS-2460	60" x 24"	Stainless Steel	(2) CBSRS-24, (1) CBBRS-60, (2) BR-1, (2) BR-2
CRS-2472	72" x 24"	Stainless Steel	(2) CBSRS-24, (1) CBBRS-72, (2) BR-1, (2) BR-2
CRS-2484	84" x 24"	Stainless Steel	(3) CBSRS-24, (2) CBBRS-84, (3) BR-1, (2) BR-2 & (1) BR-3
CRS-2496	96" x 24"	Stainless Steel	(3) CBSRS-24, (2) CBBRS-96, (3) BR-1, (2) BR-2 & (1) BR-3
CRS-3030	30" x 30"	Stainless Steel	(2) CBSRS-30, (1) CBBRS-30, (2) BR-1, (2) BR-2
CRS-3036	36" x 30"	Stainless Steel	(2) CBSRS-30, (1) CBBRS-36, (2) BR-1, (2) BR-2
CRS-3048	48" x 30"	Stainless Steel	(2) CBSRS-30, (1) CBBRS-48, (2) BR-1, (2) BR-2
CRS-3060	60" x 30"	Stainless Steel	(2) CBSRS-30, (1) CBBRS-60, (2) BR-1, (2) BR-2
CRS-3072	72" x 30"	Stainless Steel	(2) CBSRS-30, (1) CBBRS-72, (2) BR-1, (2) BR-2
CRS-3084	84" x 30"	Stainless Steel	(3) CBSRS-30, (2) CBBRS-84, (3) BR-1, (2) BR-2 & (1) BR-3
CRS-3096	96" x 30"	Stainless Steel	(3) CBSRS-30, (2) CBBRS-96, (3) BR-1, (2) BR-2 & (1) BR-3
CRS-3648	48" x 36"	Stainless Steel	(2) CBSRS-36, (1) CBBRS-48, (2) BR-1, (2) BR-2
CRS-3660	60" x 36"	Stainless Steel	(2) CBSRS-36, (1) CBBRS-60, (2) BR-1, (2) BR-2
CRS-3672	72" x 36"	Stainless Steel	(2) CBSRS-36, (1) CBBRS-72, (2) BR-1, (2) BR-2
CRS-3684	84" x 36"	Stainless Steel	(3) CBSRS-36, (2) CBBRS-48, (3) BR-1, (2) BR-2 & (1) BR-3

Clean Dishtables (Right - Left Operation) Attaches to Left of Dish Machine



CDT-48L-16

**Add a Dishtable Undershelf (DTU-).
See Page 50 for more.**

Premium Models CDT-...L-16

Length x Width (Inches)	Model
24" X 30-3/8"	CDT-24L-16
26" X 30-3/8"	CDT-26L-16
36" X 30-3/8"	CDT-36L-16
48" X 30-3/8"	CDT-48L-16
60" X 30-3/8"	CDT-60L-16
72" X 30-3/8"	CDT-72L-16

Economy Models CDT-...L

Length x Width (Inches)	Model
26" X 30-3/8"	CDT-26L
36" X 30-3/8"	CDT-36L
48" X 30-3/8"	CDT-48L
60" X 30-3/8"	CDT-60L
72" X 30-3/8"	CDT-72L

Details

- Straight Design
- 10" Backsplash with a 2" Return to Wall at 45°, 3/4" Turned Down Rear Lip
- Rolled Front & Side Edge

Details can be found on page 8.

CDT-...L-16 & CDT-...R-16 Model Details

- 16 Gauge 304 Stainless Steel Top
- Stainless Steel Legs
- Stainless Steel Adjustable Bracing
- Stainless Steel Bullet Feet

CDT-...L & CDT-...R Model Details

- 18 Gauge 304 Stainless Steel Top
- Galvanized Steel Legs
- Galvanized Steel Adjustable Bracing
- Plastic Bullet Feet

Clean Dishtables (Left - Right Operation) Attaches to Right of Dish Machine



Premium Models CDT-...R-16

Length x Width (Inches)	Model
24" X 30-3/8"	CDT-24R-16
26" X 30-3/8"	CDT-26R-16
36" X 30-3/8"	CDT-36R-16
48" X 30-3/8"	CDT-48R-16
60" X 30-3/8"	CDT-60R-16
72" X 30-3/8"	CDT-72R-16

Economy Models CDT-...R

Length x Width (Inches)	Model
26" X 30-3/8"	CDT-26R
36" X 30-3/8"	CDT-36R
48" X 30-3/8"	CDT-48R
60" X 30-3/8"	CDT-60R
72" X 30-3/8"	CDT-72R

Soiled Dishtables (Left - Right Operation) Attaches to Left of Dish Machine

Premium Models SDT-...L-16

Length x Width (Inches)	Model	Bowl Size L" x W" x D"
26" X 30-3/8"	SDT-26L-16	16" x 20" x 8"
36" X 30-3/8"	SDT-36L-16	20" x 20" x 8"
48" X 30-3/8"	SDT-48L-16	20" x 20" x 8"
60" X 30-3/8"	SDT-60L-16	20" x 20" x 8"
72" X 30-3/8"	SDT-72L-16	20" x 20" x 8"

Economy Models SDT-...L

Length x Width (Inches)	Model	Bowl Size L" x W" x D"
26" X 30-3/8"	SDT-26L	16" x 20" x 8"
36" X 30-3/8"	SDT-36L	20" x 20" x 8"
48" X 30-3/8"	SDT-48L	20" x 20" x 8"
60" X 30-3/8"	SDT-60L	20" x 20" x 8"
72" X 30-3/8"	SDT-72L	20" x 20" x 8"



Details

- Straight Design
- Pre-Rinse Sink on Right Side of Dish Table
- (1) Set of Splash Mount Faucet Holes with 8" Centers
- 10" Backsplash with a 2" Return to Wall at 45°, 3/4" Turned Down Rear Lip
- Rolled Front & Side Edge

Details can be found on page 8.

SDT-...L & SDT-...R Model Details

- 18 Gauge 304 Stainless Steel Top
- Galvanized Steel Legs
- Galvanized Steel Adjustable Bracing
- Plastic Bullet Feet

SDT-...L-16 & SDT-...R-16 Model Details

- 16 Gauge 304 Stainless Steel Top
- Stainless Steel Legs
- Stainless Steel Adjustable Bracing
- Stainless Steel Bullet Feet

Soiled Dishtables (Right - Left Operation) Attaches to Right of Dish Machine

Premium Models SDT-...R-16

Length x Width (Inches)	Model	Bowl Size L" x W" x D"
26" X 30-3/8"	SDT-26R-16	16" x 20" x 8"
36" X 30-3/8"	SDT-36R-16	20" x 20" x 8"
48" X 30-3/8"	SDT-48R-16	20" x 20" x 8"
60" X 30-3/8"	SDT-60R-16	20" x 20" x 8"
72" X 30-3/8"	SDT-72R-16	20" x 20" x 8"

Economy Models SDT-...R

Length x Width (Inches)	Model	Bowl Size L" x W" x D"
26" X 30-3/8"	SDT-26R	16" x 20" x 8"
36" X 30-3/8"	SDT-36R	20" x 20" x 8"
48" X 30-3/8"	SDT-48R	20" x 20" x 8"
60" X 30-3/8"	SDT-60R	20" x 20" x 8"
72" X 30-3/8"	SDT-72R	20" x 20" x 8"



**Add a Dishtable Undershelf (DTU).
See Page 50 for more.**

3-Bowl Corner Dishtables with 2 Drainboards



SDT3C-202012L20

Details

- 18 Gauge 304 Stainless Steel Top
- Two 20" Drainboards
- Two Sets of Splash Mount Faucet Holes with 8" Centers
- 10" Backsplash with a 2" Return to Wall at 45°
- 3-1/2" Die-Stamped Drain Openings
- Drain Basket Included
- Rolled Front & Side Edge
- Galvanized Steel Legs
- Galvanized Steel Adjustable Bracing
- Plastic Bullet Feet

Length x Width (Inches)	Model	Bowl Size L" x W" x D"	Position to Dish Machine
65-3/4" X 30-1/2"	SDT3C-202012L20	20" x 20" x 12"	Left Side
65-3/4" X 30-1/2"	SDT3C-202012R20	20" x 20" x 12"	Right Side

Details can be found on page 9.

3-Bowl Straight Dishtables with 2 Drainboards




Details

- 18 Gauge 304 Stainless Steel Top
- Straight Design
- Two 20" Drainboards
- One Set of Splash Mount Faucet Holes with 8" Centers
- 3-1/2" Die-Stamped Drain Openings
- 10" Backsplash with a 2" Return to Wall at 45°, 3/4" Turned Down Rear Lip
- Rolled Front & Side Edge
- Galvanized Steel Legs
- Galvanized Steel Adjustable Bracing
- Plastic Bullet Feet

Length x Width (Inches)	Model	Bowl Size L" x W" x D"	Position to Dish Machine
100" X 30-3/8"	SDT3-202012L20	20" x 20" x 12"	Left Side
100" X 30-3/8"	SDT3-202012R20	20" x 20" x 12"	Right Side

Details can be found on page 9.

Pre-Rinse Basket



Length x Width (Inches)	Model
17-1/2" X 23-1/2"	PB-1824
19-1/2" X 19-1/2"	PB-2020
19-1/2" X 29-1/2"	PB-2030
23-1/2" X 23-1/2"	PB-2424

PB-2020



Details

- 16 Gauge 304 Stainless Steel; Fabricated
- 5" Deep Pre-Rinse Bowl

Tray Slides

Details

- 304 Stainless Steel Bar; Fabricated
- Fits in 20" x 20" Pre-Rinse Sink




Length x Width (Inches)	Model
19-3/4" X 21"	SLB-2020



SLB-2020

Dish Table Undershelves



DTU-S36




Details

- 18 Gauge 304 Stainless Shelf
- Two 11"L Stainless Steel Legs with Adjustable Bullet Feet
- Compatible with Straight Design Dishtables

Length x Width (Inches)	Model
17-5/8" X 24-1/8"	DTU-S24
23-5/8" X 24-1/8"	DTU-S30
29-5/8" X 24-1/8"	DTU-S36

Length x Width (Inches)	Model
41-5/8" X 24-1/8"	DTU-S48
53-5/8" X 24-1/8"	DTU-S60
65-5/8" X 24-1/8"	DTU-S72

Solid Sorting Shelves



SSR-42

Details

- 18 Gauge 304 Stainless Steel
- Slanted Rack Shelf
- Traditional Design
- Wall Mounted
- Rolled Front Edge
- Corner Drain Tube Located in Right Corner
- Overall Height: 16-1/2"
- Includes Brackets

Details can be found on page 9.

Length x Width (Inches)	Model
21" X 22"	SSR-21
42" X 22"	SSR-42
63" X 22"	SSR-63

Tubular Sorting Shelves



TSS-42

Details

- 16 Gauge 304 Stainless Steel
- Slanted
- Wall Mounted
- Overall Height: 11-1/4"
- Includes Brackets

Details can be found on page 10.

Length x Width (Inches)	Model
22" X 18-3/8"	TSS-22
42" X 18-3/8"	TSS-42
63" X 18-3/8"	TSS-63



Tubular Shelves



TSS-D48

Details

- 16 Gauge 304 Stainless Steel Tubing
- 1-5/8 Diameter Tubing
- Wall Mounted
- Includes Brackets



Details can be found on page 10.

Length x Width (Inches)	Model
36" X 15"	TSS-D36
48" X 15"	TSS-D48
60" X 15"	TSS-D60
72" X 15"	TSS-D72

Mobile Soak Sink

Details

- 16 Gauge 304 Stainless Steel
- Marine Edges
- Stainless Steel Legs
- Stainless Steel Cross-Bracing
- 5" Swivel Casters with Brakes
- Twist Lever Waste Included
- Gray bumpers





Model	Overall Size Length x Width x Height	Bowl Size L" x W" x D"
SKS-2020	27" X 27" x 21-3/4"	20" x 20" x 8"



Free Standing Service Sink

Details

- 18 Gauge 304 Stainless Steel
- 26" Working Height
- 8" O.C. Faucet Holes
- Stainless Steel Legs
- Stainless Steel Cross-Bracing
- Steel Bullet Feet
- 3-1/2" Basket Drain Basket Included



Model	Overall Size Length x Width x Height	Bowl Size L" x W" x D"
SVS-2016	25" X 23" x 34"	20" x 16" x 8"

Floor Mount Mop Sinks



MOP-162006

Details

- 16 Gauge 304 Stainless Steel
- Marine Edges
- Stainless Steel Skirted Front and Sides
- 3-1/2" Heavy Duty Brass Basket Drain (STN-4B)
- 3-1/2" Drain Accepts 2" Male Drain Pipe

Details can be found on page 10.



Add a P2SV-Service Sink Faucet
8" Center Faucet with 1/2 NPS Female Inlets & Threaded Spout.

Model	Bowl Size L" x W" x D"	Overall Size (Inches) Length x Width x Height
MOP-162006	20" x 16" x 6"	24-5/8" x 19-3/8" x 10"
MOP-162012	20" x 16" x 12"	24-5/8" x 19-3/8" x 16"
MOP-242406	24" x 24" x 6"	28-5/8" x 27-3/8" x 10"
MOP-242412	24" x 24" x 12"	28-5/8" x 27-3/8" x 16"
MOP-282012	28" x 20" x 12"	32-5/8" x 23-3/8" x 16"

Flush Floor-Mount Mop Sinks



MSF-S24LR



MSF-S24R



MSF-S24L

Details

- Flush Floor Mount (Recessed into Floor)
- 16 Gauge 304 Stainless Steel
- Splashes - 15-3/8" Height
- Removable Stainless Steel Subway Grating. Allows Mop Buckets to Roll Over Sink at Floor Level
- Includes Removable Stainless Steel Strainer Basket
- 4" O.D. Waste Pipe 3" Tall

Details can be found on page 10.

Model	Bowl Size (Inches) L" x W" x D"	Overall Size (Inches) Length x Width x Height
MSF-S24L	21-3/8" x 20-1/4" x 10"	23-3/8" x 24" x 28-3/8"
MSF-S24R	21-3/8" x 20-1/4" x 10"	23-3/8" x 24" x 28-3/8"
MSF-S24LR	21-3/8" x 20-1/4" x 10"	21-3/8" x 24" x 28-3/8"

Mop Sink Cabinets

Single Storage Model: MSC-2522

Model	Bowl Size L" x W" x D"	Overall Size (Inches) Length x Width x Height
MSC-2522	20" x 16" x 8"	25" x 22-1/4" x 84-1/4"



MSC-2522

Details

- 18 Gauge 430 Stainless Steel Body
- 16 Gauge 304 Stainless Steel Mop Sink
- 3-1/2" Heavy Duty Brass Basket Drain (STN-4B)
- 3-1/2" Drain Accepts 2"-Male Drain Pipe
- Slanted Top
- Open Back
- Two 20 Gauge 430 Stainless Steel Hinged Doors
- Handle & Keyed Locks
- Fixed Overhead Storage Shelf, Holds Two Mops

Details can be found on page 11.



Double Storage Models: MSC-4822L & MSC-4822R

Model	Bowl Size L" x W" x D"	Overall Size (Inches) Length x Width x Height	Mop Sink Location
MSC-4822L	20" x 16" x 8"	47-1/2" x 22-1/4" x 84-1/4"	Left Side
MSC-4822R	20" x 16" x 8"	47-1/2" x 22-1/4" x 84-1/4"	Right Side



MSC-4822L

Details

- Storage Side of Cabinet has Three Fixed Shelves

Details can be found on page 11.



Floor Troughs



FT-G1224

Details

- 14 Gauge 304 Stainless Steel
- Stainless Steel Grating
- 3-1/2" Deep All-Welded Drain Pan with Built-In Pitch
- Accommodates up to a 4" Diameter Pipe
- Includes Stainless Steel Removable Perforated Strainer

Length x Width (Inches)	Model
24" X 12"	FT-G1224
36" X 12"	FT-G1236
48" X 12"	FT-G1248
60" X 12"	FT-G1260

Length x Width (Inches)	Model
24" X 18"	FT-G1824
36" X 18"	FT-G1836
48" X 18"	FT-G1848
60" X 18"	FT-G1860



Details can be found on page 11.

Urn Troughs - Drip Plate



TP-12

Details

- Urn Trough with Removable Drip Plate
- 16 Gauge 304 Stainless Steel
- Subway-Style Stainless Steel Grating
- 1" Flush Mount & 1/4" Rounded Corner Trim Plate
- 1-1/4" OD Opening
- 1" NPT Threading Drain Connection
- Mounting Hardware Included

Overall Size (Inches) Length x Width	Model	Pairs of Studs
14" X 6-11/25"	TP-12	2
20" X 6-11/25"	TP-18	2
26" X 6-11/25"	TP-24	2
38" X 6-11/25"	TP-36	3


Overall Size (Inches) Length x Width	Model	Pairs of Studs
50" X 6-11/25"	TP-48	3
62" X 6-11/25"	TP-60	5
72" X 6-11/25"	TP-72	5

Details can be found on page 11.

Grease Interceptors/Traps

Details

- 11 Gauge Carbon Steel Construction
- Epoxy Coating
- Non-Skid Deck Plate
- Removable Baffles



Model	Length (A)	Width	Height (B)	Connection Size (D)	Connection Height (C)	Capacity	Gallons Per Min.	Model Weight
GI-8	14-2/5"	10"	11-1/5"	2"	7-1/2"	8 lbs.	4 GPM	38 lbs.
GI-14	16-3/10"	13"	12-1/5"	2"	8-3/10"	14 lbs.	7 GPM	49 lbs.
GI-20	20-1/10"	14"	12-1/10"	2"	8-1/10"	20 lbs.	10 GPM	60 lbs.
GI-30	20-1/2"	15"	13-9/10"	2"	10-2/5"	30 lbs.	15 GPM	68 lbs.
GI-40	22-1/2"	16"	15"	3"	11-1/5"	40 lbs.	20 GPM	80 lbs.
GI-50	24-1/2"	16-1/2"	16-7/10"	3"	12-3/10"	50 lbs.	25 GPM	91 lbs.
GI-70	28-2/5"	18"	19-1/10"	3"	13-4/5"	70 lbs.	35 GPM	113 lbs.
GI-100	30-2/5"	22"	21-1/2"	4"	15-7/10"	100 lbs.	50 GPM	155 lbs.




Table Mounted Overshelves for Refrigerated Units



Details

- 18 Gauge 304 Stainless Steel
- Square Turndown Edge
- Stainless Steel Posts - 1" Diameter
- Custom Refrigerator Counter Mounting Bracket Included
- Double Overshelves have Adjustable Lower Shelf
- 18" Width Models have 4-15/16" Wide C - Channel Through Length of Shelves

Length x Width (Inches)	Single or Double	Model	Top Height
48" X 12"	Single	PSMS-1248S	18"
60" X 12"	Single	PSMS-1260S	18"
72" X 12"	Single	PSMS-1272S	18"
48" X 18"	Single	PSMS-1848S	18"
60" X 18"	Single	PSMS-1860S	18"
72" X 18"	Single	PSMS-1872S	18"

Length x Width (Inches)	Single or Double	Model	Top Height
48" X 12"	Double	PSMS-1248D	31-1/4"
60" X 12"	Double	PSMS-1260D	31-1/4"
72" X 12"	Double	PSMS-1272D	31-1/4"
48" X 18"	Double	PSMS-1848D	31-1/4"
60" X 18"	Double	PSMS-1860D	31-1/4"
72" X 18"	Double	PSMS-1872D	31-1/4"







Table Mounted Overshelves (Standard)

Details

- 18 Gauge 304 Stainless Steel
- Square Turndown Edge
- Stainless Steel Posts - 1" Diameter
- Double Overshelves have Adjustable Lower Shelf
- 18" Width Models have 4-15/16" Wide C - Channel Through Length of Shelves






TMS-1248D



TMS-1248S

Length x Width (Inches)	Single or Double	Model	Top Height
36" X 12"	Single	TMS-1236S	18"
48" X 12"	Single	TMS-1248S	18"
60" X 12"	Single	TMS-1260S	18"
72" X 12"	Single	TMS-1272S	18"
96" X 12"	Single	TMS-1296S	18"
36" X 18"	Single	TMS-1836S	18"
48" X 18"	Single	TMS-1848S	18"
60" X 18"	Single	TMS-1860S	18"
72" X 18"	Single	TMS-1872S	18"
96" X 18"	Single	TMS-1896S	18"

Length x Width (Inches)	Single or Double	Model	Top Height
36" X 12"	Double	TMS-1236D	31-1/4"
48" X 12"	Double	TMS-1248D	31-1/4"
60" X 12"	Double	TMS-1260D	31-1/4"
72" X 12"	Double	TMS-1272D	31-1/4"
96" X 12"	Double	TMS-1296D	31-1/4"
36" X 18"	Double	TMS-1836D	31-1/4"
48" X 18"	Double	TMS-1848D	31-1/4"
60" X 18"	Double	TMS-1860D	31-1/4"
72" X 18"	Double	TMS-1872D	31-1/4"
96" X 18"	Double	TMS-1896D	31-1/4"



Standard Wall Shelves



Details

- 1-1/2"H Rear Up-Turn
- Overall Height - 9-1/2"
- Includes Support Brackets & Mounting Kit
- Models 72" and Greater Include 3 Three Support Brackets

WS-... Premium Models

- 18 Gauge 304 Stainless Steel

Length x Width (Inches)	Model
24" X 12"	WS-1224
30" X 12"	WS-1230
36" X 12"	WS-1236
48" X 12"	WS-1248
60" X 12"	WS-1260
72" X 12"	WS-1272*
84" X 12"	WS-1284*
96" X 12"	WS-1296*
24" X 16"	WS-1624
30" X 16"	WS-1630
36" X 16"	WS-1636
48" X 16"	WS-1648
60" X 16"	WS-1660
72" X 16"	WS-1672*
84" X 16"	WS-1684*
96" X 16"	WS-1696*

WS-...E Economy Models

- 18 Gauge 430 Stainless Steel

Length x Width (Inches)	Model
24" X 12"	WS-1224E
36" X 12"	WS-1236E
48" X 12"	WS-1248E
60" X 12"	WS-1260E
72" X 12"	WS-1272E*
84" X 12"	WS-1284E*
96" X 12"	WS-1296E*
24" X 16"	WS-1624E
36" X 16"	WS-1636E
48" X 16"	WS-1648E
60" X 16"	WS-1660E
72" X 16"	WS-1672E*
84" X 16"	WS-1684E*
96" X 16"	WS-1696E*


Add a Pot Rack Bar!

Convert this Wall Shelf into a Pot Rack by adding NBR's Pot Rack Bar.



- 304 Stainless Steel
- 2" Flat Bar

Fits Shelf Size	Model & Quantity Needed	Hooks Per Bar
24" Wall Shelf	PR-WS24 (1)	4
30" Wall Shelf	PR-WS30 (1)	5
36" Wall Shelf	PR-WS36 (1)	6
48" Wall Shelf	PR-WS48 (1)	8
60" Wall Shelf	PR-WS60 (1)	10
72" Wall Shelf	PR-WS36 (2)	6
84" Wall Shelf	PR-WS42 (2)	7
96" Wall Shelf	PR-WS48 (2)	8



Wall Shelves with Pot Rack Bar



Details

- 18 Gauge 304 Stainless Steel
- 1-1/2"H Rear Up-Turn
- 2" Flat Bar
- Overall Height - 9-1/2"
- Includes Support Brackets & Mounting Kit
- Models 72" and Greater Include 3 Three Support Brackets

Add extra Pot Hooks!
Stainless Steel Hooks





Double Hook
HK2



Single Hook
HK1

Length x Width (Inches)	Model	Number of Hooks
24" X 12"	PS-1224	4
30" X 12"	PS-1230	5
36" X 12"	PS-1236	6
48" X 12"	PS-1248	8
60" X 12"	PS-1260	10
72" X 12"	PS-1272*	12
84" X 12"	PS-1284*	14
96" X 12"	PS-1296*	16

Length x Width (Inches)	Model	Number of Hooks
24" X 16"	PS-1624	4
30" X 16"	PS-1630	5
36" X 16"	PS-1636	6
48" X 16"	PS-1648	8
60" X 16"	PS-1660	10
72" X 16"	PS-1672*	12
84" X 16"	PS-1684*	14
96" X 16"	PS-1696*	16



Flat Bar Pot Racks



Double Bar Models

Length x Width (Inches)	Model	Number of Hooks
36" X 12"	PR2-3	6
48" X 12"	PR2-4	8
60" X 12"	PR2-5	10
72" X 12"	PR2-6	12
96" X 12"	PR2-8	16

Details can be found on page 12.



Single Bar Models

Length x Width (Inches)	Model	Number of Hooks
48" X 12"	PR1-4	4
60" X 12"	PR1-5	5
72" X 12"	PR1-6	6
96" X 12"	PR1-8	8

Details

- 304 Stainless Steel Construction
- 2" Series Stainless Flat Bar
- Includes Stainless Steel Double Prong Hooks
- 12" Width from Bar to Wall
- For "PR2-" Models - Bottom Bar 6" Width to Wall
- 72" and 96" Models Include Center Support Bracket


Lavatory Shelves



Details

- 16 Gauge 304 Stainless Steel
- Includes Brackets & Mounting Kit
- "LSR" Models have 4" Backsplash

Length x Width (Inches)	Model
16" x 5"	WS-16LS
18" x 5"	WS-18LS
24" x 5"	WS-24LS
36" x 5"	WS-36LS
48" x 5"	WS-48LS
16" x 5"	WS-16LSR
18" x 5"	WS-18LSR
24" x 5"	WS-24LSR
36" x 5"	WS-36LSR
48" x 5"	WS-48LSR




Microwave Shelves - Open Back



Details

- 18 Gauge 304 Stainless Steel
- 1-1/2"H Mounting Back Lip
- One Hole with Grommet for Appliance Cord
- Overall Height - 16-7/8"
- 15" Angle Supports
- Includes Mounting Kit

Length x Width (Inches)	Model
24" x 18"	MWS-1824
24" x 20"	MWS-2024
30" x 20"	MWS-2030
24" x 24"	MWS-2424




Utility Shelf - Open Back



Details

- 18 Gauge 304 Stainless Steel
- Two Mop Holders, Three Rag Hooks
- Includes Mounting Kit

Length x Width (Inches)	Model
24" X 8"	WS-US



Wall Cabinets



WCH-1536



WCO-1536

Details

- 18 Gauge 304 Stainless Steel
- Open Front
- Enclosed Design
- Slanted Top
- One Fully Adjustable Shelf
- 32-5/8" Overall Height
- "WCO-" Models have an Open Front
- "WCH-" Models have Two Solid Double Pin Hinged Doors

Models with Doors (WCH) Open Front Models (WCO)

Length x Width (Inches)	Model
24" X 15"	WCH-1524
30" X 15"	WCH-1530
36" X 15"	WCH-1536
48" X 15"	WCH-1548





Length x Width (Inches)	Model
24" X 15"	WCO-1524
30" X 15"	WCO-1530
36" X 15"	WCO-1536
48" X 15"	WCO-1548

Details can be found on page 12.

Ceiling Mounted Pot Rack

Details

- Ceiling Hung
- Triple Bar Design
- Construction of 3/16"x2" 304 Stainless Steel Bars
- CMPR-48 Includes 12 Stainless Steel Double Pot Hooks
- 24" stainless hanging chains
- Height of the Pot Rack Unit - 12"



Length x Width (Inches)	Model
48" X 22"	CMPR-48
60" X 22"	CMPR-60
72" X 22"	CMPR-72

Premium 1-Bowl Sinks



1SS-162014



1SS-162014LR18



1SS-162014L18

1SS-162014R18

Details

- 16 Gauge 304 Stainless Steel
- 14" Bowl Height/Depth
- Overall Height - 44-1/16"
- 10" Backsplash with 45° Top and 2" Return
- One Set of 8" On-Center Splash Mount Faucet Holes
- Includes Drain Basket (STN-3)
- 3-1/2" Die-Stamped Drain Opening
- Stainless Steel 1-5/8" Diameter Legs
- Stainless Steel Gussets & Cross Bracing
- Adjustable Stainless Steel Bullet Feet
- Faucets Not Included

Details can be found on page 13.



Model	Overall Length	Overall Width	Bowl Size L" x W"	Drainboard	Drainboard Size
1SS-162014	21-1/8"	25-1/2"	16" x 20"	-	-
1SS-162014L18	38-3/16"	25-1/2"	16" x 20"	Left	18"
1SS-162014R18	38-3/16"	25-1/2"	16" x 20"	Right	18"
1SS-162014LR18	55-1/4"	25-1/2"	16" x 20"	Left & Right	18"
1SS-181814	23-1/8"	23-1/2"	18" x 18"	-	-
1SS-181814L18	40-3/16"	23-1/2"	18" x 18"	Left	18"
1SS-181814R18	40-3/16"	23-1/2"	18" x 18"	Right	18"
1SS-181814LR18	57-1/4"	23-1/2"	18" x 18"	Left & Right	18"
1SS-182414	23-1/8"	29-1/2"	18" x 24"	-	-
1SS-182414L18	40-3/16"	29-1/2"	18" x 24"	Left	18"
1SS-182414L24	46-3/16"	29-1/2"	18" x 24"	Left	24"
1SS-182414R18	40-3/16"	29-1/2"	18" x 24"	Right	18"
1SS-182414R24	46-3/16"	29-1/2"	18" x 24"	Right	24"
1SS-182414LR18	57-1/4"	29-1/2"	18" x 24"	Left & Right	18"
1SS-182414LR24	69-1/4"	29-1/2"	18" x 24"	Left & Right	24"
1SS-242414	29-1/8"	29-1/2"	24" x 24"	-	-
1SS-242414L24	52-3/16"	29-1/2"	24" x 24"	Left	24"
1SS-242414R24	52-3/16"	29-1/2"	24" x 24"	Right	24"
1SS-242414LR24	75-1/4"	29-1/2"	24" x 24"	Left & Right	24"

Premium 2-Bowl Sinks



Details

- 16 Gauge 304 Stainless Steel
- 14" Bowl Height/Depth
- Overall Height - 44-1/16"
- 10" Backsplash with 45° Top and 2" Return
- One Set of 8" On-Center Splash Mount Faucet Holes
- Includes Drain Baskets (STN-3)
- 3-1/2" Die-Stamped Drain Openings
- Stainless Steel 1-5/8" Diameter Legs
- Stainless Steel Gussets & Cross Bracing
- Adjustable Stainless Steel Bullet Feet
- Faucets Not Included

Details can be found on page 14.

Model	Overall Length	Overall Width	Bowl Size L" x W"	Drainboard	Drainboard Size
2SS-162014	37-1/8"	25-1/2"	16" x 20"	-	-
2SS-162014L18	54-3/16"	25-1/2"	16" x 20"	Left	18"
2SS-162014R18	54-3/16"	25-1/2"	16" x 20"	Right	18"
2SS-162014LR18	71-1/4"	25-1/2"	16" x 20"	Left & Right	18"
2SS-181814	41-1/8"	23-1/2"	18" x 18"	-	-
2SS-181814L18	58-3/16"	23-1/2"	18" x 18"	Left	18"
2SS-181814R18	58-3/16"	23-1/2"	18" x 18"	Right	18"
2SS-181814LR18	75-1/4"	23-1/2"	18" x 18"	Left & Right	18"
2SS-182414	41-1/8"	29-1/2"	18" x 24"	-	-
2SS-182414L18	58-3/16"	29-1/2"	18" x 24"	Left	18"
2SS-182414R18	58-3/16"	29-1/2"	18" x 24"	Right	18"
2SS-182414LR18	75-1/4"	29-1/2"	18" x 24"	Left & Right	18"
2SS-242414	53-1/8"	29-1/2"	24" x 24"	-	-
2SS-242414L24	76-3/16"	29-1/2"	24" x 24"	Left	24"
2SS-242414R24	76-3/16"	29-1/2"	24" x 24"	Right	24"
2SS-242414LR24	99-1/4"	29-1/2"	24" x 24"	Left & Right	24"



Premium 3-Bowl Sinks



3SS-162014



3SS-162014R18



3SS-162014L18

Details

- 16 Gauge 304 Stainless Steel
- 14" Bowl Height/Depth
- Overall Height - 44-1/16"
- 10" Backsplash with 45° Top and 2" Return
- 8" On-Center Splash Mount Faucet Holes
- " ...* " - Has Two Sets of Faucet Holes
- Includes Drain Baskets (STN-3)
- 3-1/2" Die-Stamped Drain Openings
- Stainless Steel 1-5/8" Diameter Legs
- Stainless Steel Gussets & Cross Bracing
- Adjustable Stainless Steel Bullet Feet
- Faucets Not Included

Details can be found on pages 14 & 15.



Model	Overall Length	Overall Width	Bowl Size L" x W"	Drainboard	Drainboard Size
3SS-162014	53-1/8"	25-1/2"	16" x 20"	-	-
3SS-162014L18	70-3/16"	25-1/2"	16" x 20"	Left	18"
3SS-162014R18	70-3/16"	25-1/2"	16" x 20"	Right	18"
3SS-181814	59-1/8"	23-1/2"	18" x 18"	-	-
3SS-181814L18	76-3/16"	23-1/2"	18" x 18"	Left	18"
3SS-181814R18	76-3/16"	23-1/2"	18" x 18"	Right	18"
3SS-182414	59-1/8"	29-1/2"	18" x 24"	-	-
3SS-182414L18	76-3/16"	29-1/2"	18" x 24"	Left	18"
3SS-182414R18	76-3/16"	29-1/2"	18" x 24"	Right	18"
3SS-203014	65-1/8"	35-1/2"	20" x 30"	-	-
3SS-203014L18	82-3/16"	35-1/2"	20" x 30"	Left	18"
3SS-203014R18	82-3/16"	35-1/2"	20" x 30"	Right	18"
3SS-242414*	77-1/8"	29-1/2"	24" x 24"	-	-
3SS-242414L18*	94-3/16"	29-1/2"	24" x 24"	Left	18"
3SS-242414L24*	100-3/16"	29-1/2"	24" x 24"	Left	24"
3SS-242414R18*	94-3/16"	29-1/2"	24" x 24"	Right	18"
3SS-242414R24*	100-3/16"	29-1/2"	24" x 24"	Right	24"

Premium 3-Bowl Sinks with 2 Drainboards



3SS-162014LR18

Details

- 16 Gauge 304 Stainless Steel
- 14" Bowl Height/Depth
- Overall Height - 44-1/16"
- 10" Backsplash with 45° Top and 2" Return
- 8" On-Center Splash Mount Faucet Holes
- " ... * " - Has Two Sets of Faucet Holes
- Includes Drain Baskets (STN-3)
- 3-1/2" Die-Stamped Drain Openings
- Stainless Steel 1-5/8" Diameter Legs
- Stainless Steel Gussets & Cross Bracing
- Adjustable Stainless Steel Bullet Feet
- Faucets Not Included

Details can be found on page 15.

Model	Overall Length	Overall Width	Bowl Size L" x W"	Drainboard	Drainboard Size
3SS-143114LR18	81-1/4"	36-1/2"	14" x 31"	Left & Right	18"
3SS-162014LR18	87-1/4"	25-1/2"	16" x 20"	Left & Right	18"
3SS-162014LR24	99-1/4"	25-1/2"	16" x 20"	Left & Right	24"
3SS-181814LR18	93-1/4"	23-1/2"	18" x 18"	Left & Right	18"
3SS-182414LR18	93-1/4"	29-1/2"	18" x 24"	Left & Right	18"
3SS-182414LR24	105-1/4"	29-1/2"	18" x 24"	Left & Right	24"
3SS-203014LR20	103-1/4"	35-1/2"	20" x 30"	Left & Right	20"
3SS-203014LR24	111-1/4"	35-1/2"	20" x 30"	Left & Right	24"
3SS-203014LR30	123-1/4"	35-1/2"	20" x 30"	Left & Right	30"
3SS-242414LR24*	123-1/4"	29-1/2"	24" x 24"	Left & Right	24"

Economy 1-Bowl Sinks



1SG-162012



1SG-162012LR18



1SG-162012L18

1SG-162012R18



Details

- 18 Gauge 304 Stainless Steel
- Overall Height - 43-3/4"
- 10" Backsplash with 45° Top and 2" Return
- One Set of 8" On-Center Splash Mount Faucet Holes
- Includes Drain Basket (STN-3)
- 3-1/2" Die-Stamped Drain Opening
- Galvanized Steel 1-5/8" Diameter Legs
- Galvanized Steel Gussets
- Adjustable Plastic Bullet Feet
- Faucets Not Included

Details can be found on page 13.

Model	Overall Length	Overall Width	Bowl Size L" x W"	Bowl Height/Depth	Drainboard	Drainboard Size
1SG-162012	21"	25-1/2"	16" x 20"	12"	-	-
1SG-162012L18	36-1/2"	25-1/2"	16" x 20"	12"	Left	18"
1SG-162012R18	36-1/2"	25-1/2"	16" x 20"	12"	Right	18"
1SG-162012LR18	52"	25-1/2"	16" x 20"	12"	Left & Right	18"
1SG-181812	23"	23-1/2"	18" x 18"	12"	-	-
1SG-181812L18	38-1/2"	23-1/2"	18" x 18"	12"	Left	18"
1SG-181812R18	38-1/2"	23-1/2"	18" x 18"	12"	Right	18"
1SG-181812LR18	54"	23-1/2"	18" x 18"	12"	Left & Right	18"
1SG-182414	23"	29-1/2"	18" x 24"	14"	-	-
1SG-182414L24	44-1/2"	29-1/2"	18" x 24"	14"	Left	24"
1SG-182414R24	44-1/2"	29-1/2"	18" x 24"	14"	Right	24"
1SG-182414LR24	66"	29-1/2"	18" x 24"	14"	Left & Right	24"
1SG-202012	25"	25-1/2"	20" x 20"	12"	-	-
1SG-242414	29"	29-1/2"	24" x 24"	14"	-	-
1SG-242414L24	50-1/2"	29-1/2"	24" x 24"	14"	Left	24"
1SG-242414R24	50-1/2"	29-1/2"	24" x 24"	14"	Right	24"
1SG-242414LR24	72"	29-1/2"	24" x 24"	14"	Left & Right	24"

Economy 2-Bowl Sinks



Details

- 18 Gauge 304 Stainless Steel
- Overall Height - 43-3/4"
- 10" Backsplash with 45° Top and 2" Return
- One Set of 8" On-Center Splash Mount Faucet Holes
- Includes Drain Basket (STN-3)
- 3-1/2" Die-Stamped Drain Opening
- Galvanized Steel 1-5/8" Diameter Legs
- Galvanized Steel Gussets
- Adjustable Plastic Bullet Feet
- Faucets Not Included

Details can be found on page 14.

Model	Overall Length	Overall Width	Bowl Size L" x W"	Bowl Height/Depth	Drainboard	Drainboard Size
2SG-162012	37"	25-1/2"	16" x 20"	12"	-	-
2SG-162012L18	52-1/2"	25-1/2"	16" x 20"	12"	Left	18"
2SG-162012R18	52-1/2"	25-1/2"	16" x 20"	12"	Right	18"
2SG-162012LR18	68"	25-1/2"	16" x 20"	12"	Left & Right	18"
2SG-181812	41"	23-1/2"	18" x 18"	12"	-	-
2SG-181812L18	56-1/2"	23-1/2"	18" x 18"	12"	Left	18"
2SG-181812R18	56-1/2"	23-1/2"	18" x 18"	12"	Right	18"
2SG-181812LR18	72"	23-1/2"	18" x 18"	12"	Left & Right	18"
2SG-202012LR18	76"	25-1/2"	20" x 20"	12"	Left & Right	18"
2SG-242414	53"	29-1/2"	24" x 24"	14"	-	-
2SG-242414L24	74-1/2"	29-1/2"	24" x 24"	14"	Left	24"
2SG-242414R24	74-1/2"	29-1/2"	24" x 24"	14"	Right	24"
2SG-242414LR24	96"	29-1/2"	24" x 24"	14"	Left & Right	24"

Economy 3-Bowl Sinks



3SG-162012



3SG-162012R18



3SG-162012L18

Details

- 18 Gauge 304 Stainless Steel
- Overall Height - 43-3/4"
- 10" Backsplash with 45° Top and 2" Return
- One Set of 8" On-Center Splash Mount Faucet Holes
- Includes Drain Basket (STN-3)
- 3-1/2" Die-Stamped Drain Opening
- Galvanized Steel 1-5/8" Diameter Legs
- Galvanized Steel Gussets
- Adjustable Plastic Bullet Feet
- "...*" - Has Two Sets of Faucet Holes
- Faucets Not Included

Details can be found on pages 14 & 15.

Model	Overall Length	Overall Width	Bowl Size L" x W"	Bowl Height/Depth	Drainboard	Drainboard Size
3SG-101410	35"	19-1/2"	10" x 14"	10"	-	-
3SG-101410L15	47-1/2"	19-1/2"	10" x 14"	10"	Left	15"
3SG-101410R15	47-1/2"	19-1/2"	10" x 14"	10"	Right	15"
3SG-151514	50"	20-1/2"	15" x 15"	14"	-	-
3SG-151514L15	62-1/2"	20-1/2"	15" x 15"	14"	Left	15"
3SG-151514R15	62-1/2"	20-1/2"	15" x 15"	14"	Right	15"
3SG-151514R24	71-1/2"	20-1/2"	15" x 15"	14"	Right	24"
3SG-162012	53"	25-1/2"	16" x 20"	12"	-	-
3SG-162012L18	68-1/2"	25-1/2"	16" x 20"	12"	Left	18"
3SG-162012R18	68-1/2"	25-1/2"	16" x 20"	12"	Right	18"
3SG-181812	59"	23-1/2"	18" x 18"	12"	-	-
3SG-181812L18	74-1/2"	23-1/2"	18" x 18"	12"	Left	18"
3SG-181812R18	74-1/2"	23-1/2"	18" x 18"	12"	Right	18"
3SG-182414L24	80-1/2"	29-1/2"	18" x 24"	14"	Left	24"
3SG-182414R24	80-1/2"	29-1/2"	18" x 24"	14"	Right	24"
3SG-242414*	77"	29-1/2"	24" x 24"	14"	-	-
3SG-242414L24*	98-1/2"	29-1/2"	24" x 24"	14"	Left	24"
3SG-242414R24*	98-1/2"	29-1/2"	24" x 24"	14"	Right	24"

Economy 3-Bowl Sinks with Two Drainboards



3SG-162012LR18

Details

- 18 Gauge 304 Stainless Steel
- Overall Height - 43-3/4"
- 10" Backsplash with 45° Top and 2" Return
- One Set of 8" On-Center Splash Mount Faucet Holes
- Includes Drain Basket (STN-3)
- 3-1/2" Die-Stamped Drain Opening
- Galvanized Steel 1-5/8" Diameter Legs
- Galvanized Steel Gussets
- Adjustable Plastic Bullet Feet
- "..." - Has Two Sets of Faucet Holes
- Faucets Not Included

Details can be found on page 15.

Model	Overall Length	Overall Width	Bowl Size L" x W"	Bowl Height/Depth	Drainboard	Drainboard Size
3SG-101410LR15	60"	19-1/2"	10" x 14"	10"	Left & Right	15"
3SG-122012LR12	60"	25-1/2"	12" x 20"	12"	Left & Right	12"
3SG-141612LR12	66"	21-1/2"	14" x 16"	12"	Left & Right	12"
3SG-151514LR15	75"	20-1/2"	15" x 15"	14"	Left & Right	15"
3SG-162012LR18	84"	25-1/2"	16" x 20"	12"	Left & Right	18"
3SG-162014LR18	84"	25-1/2"	16" x 20"	14"	Left & Right	18"
3SG-181812LR18	90"	23-1/2"	18" x 18"	12"	Left & Right	18"
3SG-181814LR18	90"	23-1/2"	18" x 18"	14"	Left & Right	18"
3SG-181814LR24	102"	23-1/2"	18" x 18"	14"	Left & Right	24"
3SG-182414LR18	90"	29-1/2"	18" x 24"	14"	Left & Right	18"
3SG-182414LR24	102"	29-1/2"	18" x 24"	14"	Left & Right	24"
3SG-202012LR18	96"	25-1/2"	20" x 20"	12"	Left & Right	18"
3SG-202014LR24	108"	25-1/2"	20" x 20"	14"	Left & Right	24"
3SG-203012LR20	100"	35-1/2"	20" x 30"	12"	Left & Right	20"
3SG-203014LR24	108"	35-1/2"	20" x 30"	14"	Left & Right	24"
3SG-242414LR24*	120"	29-1/2"	24" x 24"	14"	Left & Right	24"

4-Bowl Sinks with Two Drainboards



4SG-162014LR18*



Details

- 10" Backsplash with 45° Top and 2" Return
- Two Sets of 8" On-Center Splash Mount Faucet Holes
- Includes Drain Baskets (STN-3)
- 3-1/2" Die-Stamped Drain Openings
- Faucets Not Included

4SS-... Premium Model




- 16 Gauge 304 Stainless Steel
- Stainless Steel Legs, Gussets & Cross Bracing
- Adjustable Stainless Steel Bullet Feet
- Overall Height - 44-1/16"

4SG-... Economy Model

- 18 Gauge 304 Stainless Steel
- Galvanized Steel Legs & Gussets
- Adjustable Plastic Bullet Feet
- Overall Height - 43-3/4"

Model	Overall Length	Overall Width	Bowl Size L" x W"	Bowl Height/Depth	Drainboard	Drainboard Size
4SS-182414LR18*	111-1/4"	29-1/2"	18" x 24"	14"	Left & Right	18"

Model	Overall Length	Overall Width	Bowl Size L" x W"	Bowl Height/Depth	Drainboard	Drainboard Size
4SG-162014LR18*	100"	25-1/2"	16" x 20"	14"	Left & Right	18"



Economy 3-Bowl Corner Sink with Two Drainboards






3CSG-181814LR18

Details

- 18 Gauge 304 Stainless Steel
- Overall Height - 43-3/4"
- 9-3/4" Backsplash
- Two Sets of 8" On-Center Splash Mount Faucet Holes
- 14" Bowl Height/Depth
- Includes Drain Baskets (STN-3)
- 3-1/2" Die-Stamped Drain Opening
- Galvanized Steel 1-5/8" Diameter Legs
- Galvanized Steel Gussets
- Adjustable Plastic Bullet Feet
- Faucets Not Included

Model	Overall Length	Overall Width	Bowl Size L" x W"	Drainboard	Drainboard Size
3CSG-181814LR18	56-15/16"	23-1/2"	18" x 18"	Left & Right	18"
3CSG-181814LR24	62-15/16"	23-1/2"	18" x 18"	Left & Right	24"
3CSG-242414LR24	74-15/16"	29-1/2"	24" x 24"	Left & Right	24"



Hand Sinks with Knee Valve Bracket



HS2-W1-KB



HS2-W1-LR-KB



HS2-D1-KB




HS2-D1-LR-KB




Details


- 18 Gauge 304 Stainless Steel
- One Deck or Splash Mount Faucet Hole
- 2" Drain Opening
- Knee Valve Bracket & Skirt
- Includes Crumb Cup/Drain (STN-2)
- 8-1/8" Backsplash
- Overall Height - 19-1/2"



D1 & W1 Models



D1 Models



W1 Models



Model	Faucet Mount	Overall Length	Overall Width	Bowl Size L" x W" x H"	Side Splashes
HS2-D1-KB	Deck Mount	17"	17"	14" x 10" x 5"	-
HS2-D1-LR-KB*	Deck Mount	17"	17"	14" x 10" x 5"	Left & Right
HS2-W1-KB	Splash Mount	17"	15-1/2"	14" x 10" x 5"	-
HS2-W1-LR-KB*	Splash Mount	17"	15-1/2"	14" x 10" x 5"	Left & Right

Wall Mount Hand Sink - Single Faucet Hole



Details

- 18 Gauge 304 Stainless Steel
- Single Splash Mount Faucet Hole
- 2" Drain Opening
- Includes Drain Basket (STN-2)
- 8-1/8" Backsplash
- Overall Height - 13-1/8"
- Marine Edge
- Includes Wall Mounting Hardware



Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
HS2-W1	17"	15-1/2"	14" x 10" x 5"

Wall Mount Hand Sinks

Details

- 18 Gauge 304 Stainless Steel
- One Set of Splash Mount Faucet Holes with 4" Centers
- 2" Drain Opening
- Includes Drain Basket (STN-2)
- 8-1/8" Backsplash
- Overall Height - 13-1/8"
- Marine Edge
- Includes Wall Mounting Hardware






HS2-W2-LR



HS1-W2-LR




Model	Overall Length	Overall Width	Bowl Size L" x W" x H"	Side Splashes
HS1-W2-LR*	12"	14-1/2"	9" x 9" x 5"	Left & Right
HS2-W2	17"	15-1/2"	14" x 10" x 5"	-
HS2-W2-LR*	17"	15-1/2"	14" x 10" x 5"	Left & Right



Deck Mount Hand Sinks with Towel Dispenser

Details

- 18 Gauge 304 Stainless Steel
- One Set of Deck Mount Faucet Holes with 4" Centers
- 2" Drain Opening
- Left and Right Side Splashes
- Towel Dispenser
- Includes Crumb Cup/Drain (STN-2)
- 8-1/8" Backsplash
- Overall Height - 22"
- Marine Edge



HS1-D2-S



HS2-D2-S

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
HS1-D2-S	12"	16"	9" x 9" x 5"
HS2-D2-S	17"	17"	14" x 10" x 5"

Wall Mount Hand Sinks with Towel & Soap Dispenser



HS1-W2-LR-TD Details

- 2" Drain Opening
- Includes Drain Basket (STN-2)
- Deck Mount Liquid Soap Dispenser (SD-1)
- Side Splashes on Left & Right



HS2-W2-4-TD Details

- 3-1/2" Drain Opening
- Includes Drain Basket (STN-3)
- Wall Mount Liquid Soap Dispenser

Details

- 18 Gauge 304 Stainless Steel
- One Set of Wall/Splash Mount Faucet Holes with 4" Centers
- Includes Towel Dispenser, Uses C-Fold Towels
- Includes Soap Dispenser
- Overall Height - 25-3/4"
- Marine Edge
- Includes Wall Mounting Hardware

Details can be found on page 15.

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
HS1-W2-LR-TD	12-3/8"	16"	9" x 9" x 5"
HS2-W2-4-TD	17"	15-1/2"	14" x 10" x 5"



Wall Mount Pedestal Hand Sink



Details

- 18 Gauge 304 Stainless Steel
- Pedestal Mounted Base
- Foot Pedal Valve For Faucet Operation
- One Splash Mount Faucet Hole
- 2" Drain Opening
- Includes Crumb Cup/Drain Basket (STN-2)
- 8-1/8" Backsplash
- Overall Height Without Faucet- 42"
- Marine Edge
- Includes Faucet - P5F1-WS3G
- Includes Wall Mounting Hardware

Details can be found on page 16.

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
HS2-W1-PD	17-1/4"	15-1/4"	14" x 10" x 5"

Mobile Hand Sink



Add the Utility Backsplash - TDU-26
Includes Towel & Soap Dispenser & Removable Drip Tray!

MHS-26 Fully Assembled with Faucet and Additional TDU-26




MHS-26



Details

- 16 Gauge 304 Stainless Steel Top
- 18 Gauge 304 Stainless Steel Body
- One Set of Deck Mount Faucet Hole with 4" Centers
- Includes Faucet - P3D4S5G
- 2" Drain Opening
- Includes Crumb Cup
- Overall Height - 35-1/2"

- 110V Water Pump
- Water Heater
- Removable 5 Gallon Plastic Fresh Water Container & 7 Gallon Container for Waste Water
- Hinged Door with Latch
- 4" Plate Casters, Two with Brakes



Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
MHS-26	26"	26"	10" x 14" x 5"



Multipurpose Hand & Utility Sink

Details

- 14 Gauge 304 Stainless Steel Deck
- 18 Gauge 304 Stainless Steel Base
- Stainless Steel Adjustable Feet
- 10" Backsplash
- One Deck Mounted Faucet Hole
- One Wall Mounted Faucet Hole for Pot Filler Faucet
- Utility Sink Has Marine Edge
- 3-1/2" Drain Openings
- Includes Drain Baskets (STN-3)
- Overall Height - 43-1/4"
- Faucets Not Included

Details can be found on page 16.

Model	Overall Length	Overall Width	Hand Sink Size L" x W" x H"	Utility Sink Size L" x W" x H"
HUSC-2025	20-1/2"	25-3/4"	14" x 10" x 5"	18" x 18" x 5"





Drop-In Hand Sinks with Towel Dispenser




DI-1-091106STD*

Details

- "...STD" Model Includes Soap Dispenser
- 16 Gauge 304 Stainless Steel Deck & Bowl
- 18 Gauge 304 Stainless Steel Base
- 4" Backplash & Side Splashes
- One Set of Deck Mount Faucet Holes with 4" Centers
- 2" Drain Opening
- Includes Drain Basket
- Overall Height - 17-1/4"
- Includes Towel Dispenser
- Includes Wall Mounting Hardware

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
DI-1-091106STD*	16-1/2"	17-1/2"	11-1/2" x 9-1/4" x 6"
DI-1-091106TD	16-1/2"	17-1/2"	11-1/2" x 9-1/4" x 6"



Drop-In Hand Sinks



DI-3-162012



DI-1-101410LR



DI-2-201612



DI-1-201612

Details

- 16 Gauge Stainless Steel Top
- Hemmed Edge
- 18 Gauge 304 Stainless Steel
- One Set of Deck Mount Faucet Holes 4" Centers
- 3-1/2" Drain Openings
- Includes Drain Basket
- Faucet Not Included
- DI-1-1014xxLR Models have 6"H Back & Side Splashes

Details can be found on pages 16 & 17.



Model	Overall Length	Overall Width	Bowl Size L" x W" x H"	Bowls	Recommended Cutout
DI-1-101405LR*	12-3/8"	18-1/2"	10" x 14" x 5"	1-Bowl	11-3/8" x 17-1/2"
DI-1-101410LR*	12-1/2"	18-1/2"	10" x 14" x 10"	1-Bowl	11-3/8" x 17-1/2"
DI-1-101410	12-1/4"	18"	10" x 14" x 10"	1-Bowl	11-1/8" x 17"
DI-1-201608	23-5/8"	21-5/8"	20" x 16" x 8"	1-Bowl	22-3/8" x 20-3/8"
DI-1-201612	23-5/8"	21-5/8"	20" x 16" x 12"	1-Bowl	22-3/8" x 20-3/8"
DI-1-282012	31-5/8"	25-5/8"	28" x 20" x 12"	1-Bowl	30-3/8" x 24-3/8"
DI-2-101410	24"	18"	10" x 14" x 10"	2-Bowls	23-1/8" x 17-1/8"
DI-2-141612	33"	22"	14" x 16" x 12"	2-Bowls	32" x 20-3/4"
DI-2-201612	45"	22"	20" x 16" x 12"	2-Bowls	44" x 20-3/4"
DI-3-101410	35-7/8"	18"	10" x 14" x 10"	3-Bowls	35" x 17-1/8"
DI-3-162012	54"	24"	16" x 20" x 12"	3-Bowls	52-7/8" x 22-3/4"



Weld-In Sink Bowls - 14 Ga. & 16 Ga.



Details


- 304 Stainless Steel
- Fabricated Bowl
- 3-1/2" Drain Opening

Model	Bowl Size L" x W" x H"
SB-141008-14	14" x 10" x 8"
SB-161812-14	16" x 18" x 12"
SB-162014-14	16" x 20" x 14"
SB-182414-14	18" x 24" x 14"
SB-202008-14	20" x 20" x 8"
SB-202010-14	20" x 20" x 10"
SB-202012-14	20" x 20" x 12"
SB-202014-14	20" x 20" x 14"
SB-242414-14	24" x 24" x 14"


**14
Gauge
Models**

Model	Bowl Size L" x W" x H"
SB-111511-16	11" x 15" x 11"
SB-161610-16	16" x 16" x 10"
SB-161812-16	16" x 18" x 12"
SB-161814-16	16" x 18" x 14"
SB-162012-16	16" x 20" x 12"
SB-181812-16	18" x 18" x 12"
SB-182412-16	18" x 24" x 12"
SB-182414-16	18" x 24" x 14"
SB-202008-16	20" x 20" x 8"
SB-202012-16	20" x 20" x 12"
SB-202812-16	20" x 28" x 12"
SB-242412-16	24" x 24" x 12"
SB-242414-16	24" x 24" x 14"

**16
Gauge
Models**



Non-NSF Sinks



Removable Drainboard For Budget Sink



Model	Overall Length	Overall Width	Fits Models
BDD-1818	18"	18"	...-1818
BDD-1821	18"	21"	...-1821
BDD-2424	24"	24"	...-2424

Details

- Budget Sink Models are NOT NSF Certified
- 18 Gauge 430 Stainless Steel
- 8" Backsplash with 2" Return
- Splash Mount Faucet Holes 8" Centers
- 3-1/2" Die-Stamped Drain Openings
- Galvanized Legs - 1-1/5" Diameter
- Adjustable Plastic Bullet Feet
- 41" Overall Height
- * 3BSG-2424 has Two Sets of Faucet Holes

Details can be found on page 17.

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"	Bowls
1BSG-1818	21"	21-1/2"	18" x 18" x 14"	1-Bowl
1BSG-1821	21"	24-1/2"	18" x 21" x 14"	1-Bowl
1BSG-2424	27"	27-1/2"	24" x 24" x 14"	1-Bowl
2BSG-1818	39"	21-1/2"	18" x 18" x 12"	2-Bowls
2BSG-1821	39"	24-1/2"	18" x 21" x 12"	2-Bowls
2BSG-2424	51"	27-1/2"	24" x 24" x 12"	2-Bowls
3BSG-1221	39"	24-1/2"	12" x 21" x 12"	3-Bowls
3BSG-1818	57"	21-1/2"	18" x 18" x 12"	3-Bowls
3BSG-1821	57"	24-1/2"	18" x 21" x 12"	3-Bowls
3BSG-2424*	75"	27-1/2"	24" x 24" x 12"	3-Bowls

Lever & Twist Handle Waste Drains





Model	P5TD2	P5TDF	P5TD1
Description	Twist Handle Waste Drain with Overflow Cap	Twist Handle Waste Drain with Overflow Head & Tube	Twist Handle Waste Drain
Details	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening



Model	P5LD2	P5LDF	P5LD1
Description	Lever Handle Waste Drain with Overflow Cap	Lever Handle Waste Drain with Overflow Head & Tube	Lever Handle Waste Drain
Details	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening

Twist Handle Waste Drain Bracket




**Find Faucets
& all accessories
on pages 108-116!**

Model	P7TDB
Description	Twist Handle Waste Drain Bracket
Details	Height Adjustable

Sink Bowl Covers

Details

- 16 Gauge 304 Stainless Steel
- Includes Holes for Easy Removal



Model	Fits Bowl Size L" x W"
SCR-1620	16" x 20"
SCR-1818	18" x 18"
SCR-1824	18" x 24"

Model	Fits Bowl Size L" x W"
SCR-2020	20" x 20"
SCR-2030	20" x 30"
SCR-2424	24" x 24"

Removeable Side Splashes

Details

- 16 Gauge 304 Stainless Steel
- 12-1/4" Height, 1-5/8" Thick

Model	Overall Length	Clip Length
RSS-18	24"	18"
RSS-20	26"	20"
RSS-24	28"	24"
RSS-30	36"	30"



Sink Legs & Cross-Brace Leg Sets



**Find Faucets
& all accessories
on pages 108-116!**

Model	Fits Sink Bowl Size (Width x Bowl Height)	Parts/Details
SLS-10	10"H	Set of Four Legs, Fits Sinks w/ 10" Deep Bowls
SLS-12	12"H	Set of Four Legs, Fits Sinks w/ 12" Deep Bowls
SLS-14	14"H	Set of Four Legs, Fits Sinks w/ 14" Deep Bowls
SLS-14L	14"H*	Leg Set for 1SS-xxxx14Rxx & ..14Lxx Models
SLSH-1014	14"W x 10"H	(1 Set) SLS-10 and (2) SCBR-14
SLSH-1216	16"W x 12"H	(1 Set) SLS-12 and (2) SCBR-16
SLSH-1218	18"W x 12"H	(1 Set) SLS-12 and (2) SCBR-18
SLSH-1220	20"W x 12"H	(1 Set) SLS-12 and (2) SCBR-20
SLSH-1230	30"W x 12"H	(1 Set) SLS-12 and (2) SCBR-30
SLSH-1415	15"W x 14"H	(1 Set) SLS-14 and (2) SCBR-15
SLSH-1418	18"W x 14"H	(1 Set) SLS-14 and (2) SCBR-18
SLSH-1420	20"W x 14"H	(1 Set) SLS-14 and (2) SCBR-20
SLSH-1424	24"W x 14"H	(1 Set) SLS-14 and (2) SCBR-24
SLSH-1430	30"W x 14"H	(1 Set) SLS-14 and (2) SCBR-30


UNDERBAR EQUIPMENT

**Liquor Display Units,
Blender Stations, and
Sink with Soap & Towel Dispenser**

**24" wide (front-back) models
now available!**

NEW

NLD-1224
Page: 105



NBS-1224H
Page: 89

NW-1224TD
Page: 88

Speed Station

**Push Down Glass Rinser Faucet &
Dipper Well with Strainer Basket.**

NEW

NRDS-824B
Page: 105



Beer Bin

**18" deep insulated bin, holds 12 cases of
long neck (beer) bottles.**

NEW

IBB-4824
Page: 97



Underbar Machine Stand

**Holds drink machines at a
23" working height.**

NEW

NFD-1829
Page: 100



Glass Rack Cabinets


**Glass Rack Cabinets with perforated-
drainboards, 24"L x 24"W. Including
models featuring a 12" x 12" cutting
board.**

NEW

NGC-242B &
NGC-243
Page: 101



NPTS-4235
Page: 98-99



Pass-Thru Combo Station

Ice Bin (with cold plate), Dump Sinks, Perforated Glass Shelf, and accessories (Overshelf, Speed Rail, Blender Shelf and Soda Gun Holder)!

NEW

NGH-418
Page: 100



Soda Gun Holders

18 Gauge 304 Series Stainless Steel construction with a removeable cover.

NEW

Drainboards
Page: 102-104



Drainboards - Perforated Insert

Recessed, corner, cabinet base-drainboards & More! Models include removable perforated drainboard insert.

NEW

NPS-1824
Page: 104




Underbar POS Cabinet

Side splashes, cord access, and locking door.

NEW

All Additions
Page: 99, 106-108



Underbar Options & Accessories

New trash receptacle cover, speed rails, attachable side splash options & more!

NEW

UNDERBAR EQUIPMENT MODULARIZED MADE EASY!

Introducing NBR's New Design -

NBR Equipment's underbar line has been **reengineered** with a **new modular design**, giving you the flexibility to build your bar your way.

The new "N" models are designed specifically to provide **24"-deep (wide) bar equipment**, expanding our offering beyond the other traditional 18-1/4" and 21-1/4" depths.

Each "N" model is built with **pre-punched connection points**. Allowing multiple models to be securely fastened together on-site.

This approach makes setup easier, shipping more efficient, and layout changes simple. Without sacrificing the seamless look and durability you expect from NBR's stainless steel construction.

Only the new "N" series incorporates these pre-punched connection points; our existing underbar models will remain unchanged.


Whether you're assembling a new bar lineup or expanding an existing one, **NBR's modular underbar design is built to adapt to your space.**

A New Edge From NBR! (only for new "N" models)




The redesigned "N" model sinks incorporate a **square-edge profile** going around the deck of the underbar sink units.

The square-edge creates a stable landing on the sink deck for drop-in accessories, including bowl covers, and cutting boards.



**Assemble your bar's
work zones exactly as
you need them!**



CREATE & EASILY MODIFY YOUR WORKSTATION!



Drainboard
(NDB-1224)

Ice Bin
(IB-3618)

**Liquor
Display**
(NLD-1224)

**Blender
Station with
Dump Sink**
(NBS-1224H)

Speed Rail
(NRS-36)



**STOCKED &
READY TO SHIP!**

UNDERBAR EQUIPMENT

Deck Mount Slim Hand Dump Sinks




UD-1-1014-1221V

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Deck Mount Faucet Holes with 4" Centers
- 6" Bowl Height/Depth
- 2" Drain Hole
- Stainless Steel Legs
- Adjustable Bullet Feet

Model	Length	Width	Bowl Size L" x W"
UD-1-1014-1221V	12"	21-1/4"	10" x 14"
UD-1-1014-1421V	14-1/2"	21-1/4"	10" x 14"



Wall Mount Slim Hand Dump Sinks




UW-1-1014-1218V

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Splash Mount Faucet Holes with 4" Centers
- 6" Bowl Height/Depth
- 2" Drain Hole
- Stainless Steel Legs & Adjustable Bullet Feet

Model	Length	Width	Bowl Size L" x W"
UW-1-1014-1218V	12"	18-1/4"	10" x 14"
UW-1-1014-1418V	14-1/2"	18-1/4"	10" x 14"



Slim Sink with Soap & Towel Dispenser



Details


- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Splash Mount Faucet Holes with 4" Centers
- Bowl Size: 10"L x 12"W x 6"H
- 2" Drain Hole
- Deck Mount Soap Dispenser & Front Mount Towel Dispenser
- Includes Removable Scrap Basket
- Stainless Steel Legs & Adjustable Bullet Feet
- Free-Standing
- NW-1224TD - New design, straight turn-up sides more accommodating for accessories such as bow covers and cutting boards.



UW-1-1012-1218-TDV



Model	Overall Length	Overall Width
UW-1-1012-1218-TDV	12-1/2"	18-1/4"
UW-1-1012-1518-TDV	15"	18-1/4"
UW-1-1012-1221-TDV	12-1/2"	21-1/4"
UW-1-1012-1521-TDV	15"	21-1/4"
NW-1224TD	12"	24"



Blender Station with Dump Sink




UW-1-1410-1818-H

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Splash Mount Faucet Holes with 4" Centers
- 2" Drain Hole
- Front Blender Shelf with Side Splashes
- Stainless Steel Legs & Adjustable Bullet Feet
- Grommet Hole for Power Cords

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"	Shelf Size L" x W"
UW-1-1410-1818-H	18"	18-1/4"	14" x 10" x 6"	17-3/4" x 5-1/16"
UW-1-1410-1821-H	18"	21-1/4"	14" x 10" x 6"	17-3/4" x 8-1/16"
NBS-1224H	12"	24"	10" x 12" x 6"	11-3/4" x 9"
NBS-1824H	18"	24"	14" x 10" x 6"	17-3/4" x 9"



Blender Station - Dump Sink on Left




UW-1-1014-2418-RH

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Splash Mount Faucet Holes with 4" Centers
- 2" Drain Hole
- Front Blender Shelf with Side Splashes
- Stainless Steel Legs & Adjustable Bullet Feet
- Grommet Hole for Power Cords

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"	Shelf Size L" x W"
UW-1-1014-2418-RH	24"	18-1/4"	10" x 14" x 6"	10" x 17-1/4"




Mixology Units with Glass Rinser Faucet

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Splash Mount Faucet Holes with 4" Centers
- Includes Splash Mount Faucet (P3W4S6-SL)
- Includes Push-Down Glass Rinser Faucet
- Perforated Stainless Steel Cutout
- Stainless Steel Legs & Adjustable Bullet Feet
- Free Standing


Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
UMRS-1224	12"	24"	9-1/4" x 11-1/2" x 6"



UMRDS-1424 Model Details

- Dipper Well with Strainer Basket
- Dipper Well Faucet Not Included

Model	Overall Length	Overall Width	Bowl Size L" x W" x H"
UMRDS-1424	14"	24"	9-1/4" x 11-1/2" x 6"





Wall Mount Underbar Sinks



UW-2-101410-36R



UW-2-101410-36L



UW-2-101410-24

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Bowl Size - 10"L x 14"W x 10"H
- Splash Mount Faucet Holes with 4" Centers
- 2" Drains, Includes Basket Drains (STN-2)
- Overflow Stand Pipes (SP-75)
- Marine Edge
- Stainless Steel Apron on Front & Sides
- Overall Height: 32-1/2"
- Stainless Steel Legs & Adjustable Bullet Feet
- "...L" & "...R" Models have Ribbed Drainboards

Details can be found on pages 18 & 19.



Model	Overall Length	Overall Width	Bowls	Drainboard	Drainboard Size
UW-2-101410-24	24"	18-1/4"	Two Bowls	-	-
UW-2-101410-36L	36"	18-1/4"	Two Bowls	Left	12-1/4"
UW-2-101410-36R	36"	18-1/4"	Two Bowls	Right	12-1/4"
UW-2-101410-48L	48"	18-1/4"	Two Bowls	Left	22-1/4"
UW-2-101410-48R	48"	18-1/4"	Two Bowls	Right	22-1/4"
UW-3-101410-36	36"	18-1/4"	Three Bowls	-	-
UW-3-101410-48L	48"	18-1/4"	Three Bowls	Left	13-1/4"
UW-3-101410-48R	48"	18-1/4"	Three Bowls	Right	13-1/4"
UW-3-101410-60L	60"	18-1/4"	Three Bowls	Left	22-1/4"
UW-3-101410-60R	60"	18-1/4"	Three Bowls	Right	22-1/4"
UW-4-101410-48	48"	18-1/4"	Four Bowls	-	-

Underbar Sinks - Deck Mount



Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Bowl Size - 10"L x 14"W x 10"H
- Set of Deck Mount Faucet Holes with 4" Centers
- 2" Drains, Includes Basket Drains (STN-2)
- Overflow Stand Pipes (SP-75)
- Marine Edge
- Stainless Steel Apron on Front & Sides
- Overall Height: 32-1/2"
- Stainless Steel Legs & Adjustable Bullet Feet
- "...L" & "...R" Models have Ribbed Drainboards

Details can be found on pages 19 & 20.



Model	Overall Length	Overall Width	Bowls	Drainboard	Drainboard Size
UD-2-101410-24	24"	21-1/4"	Two Bowls	-	-
UD-2-101410-36L	36"	21-1/4"	Two Bowls	Left	12-1/4"
UD-2-101410-36R	36"	21-1/4"	Two Bowls	Right	12-1/4"
UD-2-101410-48L	48"	21-1/4"	Two Bowls	Left	22-1/4"
UD-2-101410-48R	48"	21-1/4"	Two Bowls	Right	22-1/4"
UD-3-101410-36	36"	21-1/4"	Three Bowls	-	-
UD-3-101410-48L	48"	21-1/4"	Three Bowls	Left	13-1/4"
UD-3-101410-48R	48"	21-1/4"	Three Bowls	Right	13-1/4"
UD-3-101410-60L	60"	21-1/4"	Three Bowls	Left	22-1/4"
UD-3-101410-60R	60"	21-1/4"	Three Bowls	Right	22-1/4"
UD-4-101410-48	48"	21-1/4"	Four Bowls	-	-

Underbar Sinks - Two Drainboards



UD-2-101410-48LR



UW-2-101410-48LR

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Bowl Size - 10"L x 14"W x 10"H
- 4" Center Faucet Holes
- Four Bowl Models have Two Sets of Faucet Holes
- 2" Drains
- Overflow Stand Pipes (SP-75)
- Marine Edge
- Stainless Steel Apron on Front & Sides
- Stainless Steel Legs & Adjustable Bullet Feet
- Overall Height: 32-1/2"
- Ribbed Drainboards

Details can be found on pages 18 - 20.

Splash Mount Faucet Holes

Model	Overall Length	Overall Width	Bowls	Drainboard	Drainboard Size
UW-2-101410-48LR	48"	18-1/4"	Two Bowls	Left & Right	13-1/4"
UW-3-101410-60LR	60"	18-1/4"	Three Bowls	Left & Right	13-1/2"
UW-3-101410-72LR	72"	18-1/4"	Three Bowls	Left & Right	19"
UW-3-101410-84LR	84"	18-1/4"	Three Bowls	Left & Right	25"
UW-3-101410-96LR	96"	18-1/4"	Three Bowls	Left & Right	31"
UW-4-101410-72LR	72"	18-1/4"	Four Bowls	Left & Right	13-3/4"
UW-4-101410-84LR	84"	18-1/4"	Four Bowls	Left & Right	19"
UW-4-101410-96LR	96"	18-1/4"	Four Bowls	Left & Right	25"



Deck Mount Faucet Holes

Model	Overall Length	Overall Width	Bowls	Drainboard	Drainboard Size
UD-2-101410-48LR	48"	21-1/4"	Two Bowls	Left & Right	13-1/4"
UD-3-101410-60LR	60"	21-1/4"	Three Bowls	Left & Right	13-1/2"
UD-3-101410-72LR	72"	21-1/4"	Three Bowls	Left & Right	19"
UD-3-101410-84LR	84"	21-1/4"	Three Bowls	Left & Right	25"
UD-3-101410-96LR	96"	21-1/4"	Three Bowls	Left & Right	31"
UD-4-101410-72LR	72"	21-1/4"	Four Bowls	Left & Right	13-3/4"
UD-4-101410-84LR	84"	21-1/4"	Four Bowls	Left & Right	19"
UD-4-101410-96LR	96"	21-1/4"	Four Bowls	Left & Right	25"

Drop-In Ice Bins


Details

- 14 Gauge 304 Stainless Steel Top
- 18 Gauge 304 Stainless Steel Body & Cover
- 10" Deep Insulated Ice Bin
- Includes Removable Sliding Cover
- Includes Drain

Model	Overall Length	Overall Width	Bin Size (L" x W" x H")	Recommended Cutout
DIB-1218	12"	18"	9" x 13" x 10"	11-1/4" x 17-1/4"
DIB-2218	22"	18"	18" x 13" x 10"	21-1/4" x 17-1/4"
DIB-2818	28"	18"	24" x 13" x 10"	27-1/4" x 17-1/4"
DIB-3418	34"	18"	30" x 13" x 10"	33-1/4" x 17-1/4"



DIB-2218




Drop-In Ice Bin with Hand Sink

Details

- 14 Gauge 304 Stainless Steel Top
- 18 Gauge 304 Stainless Steel Body & Cover
- 11" Deep Insulated Ice Bin
- Sink Bowl Size: 8-1/2"L x 11-1/2"W x 5-1/2"H
- Set of Deck Mount Faucet Holes with 4" Centers
- Includes Removable Sliding Cover
- Removable Water Sink Grate
- Includes Drain


Model	Overall Length	Overall Width	Recommended Cutout
DIB-2-2118	21"	18"	20-1/4" x 17-1/4"



Drop-In Ice Bins with Water Unit





DIB-1821-WS




Details

- 14 Gauge 304 Stainless Steel Top
- 18 Gauge 304 Stainless Steel Body & Cover
- 11" Deep Insulated Ice Bin
- Water Filler Station with Perforated Insert
- Includes Removable Sliding Cover
- Removable Water Sink Grate
- Includes Drains

Model	Overall Length	Overall Width	Recommended Cutout
DIB-1821-WS	18"	21"	17-1/4" x 20-1/4"





DIB-2118-WS



Details

- 14 Gauge 304 Stainless Steel Top
- 18 Gauge 304 Stainless Steel Body & Cover
- 11" Deep Insulated Ice Bin
- Water Filler Station with Perforated Insert
- Includes Removable Sliding Cover
- Removable Water Sink Grate
- Includes Drains

Model	Overall Length	Overall Width	Recommended Cutout
DIB-2118-WS	21"	18"	20-1/4" x 17-1/4"



Ice Bin/Cocktail Units With Cold Plate Options



IB-2418



Details can be found on page 21.

Model	Length	Width	Bin Size L" x W"	Capacity
IB-2418	24"	18-1/4"	19" x 15"	66 lbs
IB-3018	30"	18-1/4"	25" x 15"	80 lbs
IB-3618	36"	18-1/4"	31" x 15"	100 lbs
IB-4818	48"	18-1/4"	43" x 15"	140 lbs
IB-2421	24"	21-1/4"	19" x 18"	80 lbs
IB-3021	30"	21-1/4"	25" x 18"	97 lbs
IB-3621	36"	21-1/4"	31" x 18"	120 lbs
IB-4821	48"	21-1/4"	43" x 18"	167 lbs

Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- 12-9/16" Deep Bins
- Includes Removable 2-Piece Sliding Lid
- Includes Drains
- Overall Height: 32-1/2"
- Stainless Steel Legs & Adjustable Bullet Feet

Model	Length	Width	Bin Size L" x W"	Capacity	Cold Plate Circuits
IBC-2418C7	24"	18-1/4"	19" x 15"	66 lbs	7 Circuit
IBC-3018C7	30"	18-1/4"	25" x 15"	80 lbs	7 Circuit
IBC-3618C7	36"	18-1/4"	31" x 15"	100 lbs	7 Circuit
IBC-4818C7	48"	18-1/4"	43" x 15"	140 lbs	7 Circuit
IBC-2421C7	24"	21-1/4"	19" x 18"	80 lbs	7 Circuit
IBC-3021C7	30"	21-1/4"	25" x 18"	97 lbs	7 Circuit
IBC-3621C7	36"	21-1/4"	31" x 18"	120 lbs	7 Circuit
IBC-4821C7	48"	21-1/4"	43" x 18"	167 lbs	7 Circuit
IBC-3018C10	30"	18-1/4"	25" x 15"	80 lbs	10 Circuit
IBC-3618C10	36"	18-1/4"	31" x 15"	100 lbs	10 Circuit
IBC-4818C10	48"	18-1/4"	43" x 15"	140 lbs	10 Circuit
IBC-3021C10	30"	21-1/4"	25" x 18"	97 lbs	10 Circuit
IBC-3621C10	36"	21-1/4"	31" x 18"	120 lbs	10 Circuit
IBC-4821C10	48"	21-1/4"	43" x 18"	167 lbs	10 Circuit



IBC-3618C7


IBC-xxxxC7 Model Details

- 7-Circuit Aluminum Cold Plate
- Stainless Steel Legs & Side Bracing

IBC-xxxxC10 Model Details

- 10-Circuit Aluminum Cold Plate
- Stainless Steel Legs & Side Bracing


Beer Bin



Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- 18" Deep Foam Insulated Bin
- Holds (12) Cases of Long Neck (Beer) Bottles
- 1/2" NPT Drain (includes Hose End Valve)
- Overall Height: 32-1/2"
- 6" Stainless Legs (1-5/8" O.D)
- Adjustable Stainless Bullet Feet
- Does Not Include IBB-L48 Locking Cover, IBB-L48 cannot be used during normal operation.

Model	Overall Length	Overall Width
IBB-4824	48"	24"



IBB-L48



3TP-5-PU-B-TLB

Details can be found on page 22.

Accessories: Add a Locking Hinged Cover (IBB-L48), Includes Padlocks & Keys. Convert into a mobile unit by adding Casters! 3TP-5-PU-B & 3TP-5-PU-B-TLB

Mobile Ice Bin



Details

- 18 Gauge 304 Stainless Steel
- 16" Deep Foam Insulated Bin
- Overall Height: 29"
- 2-Piece Sliding Lid
- 1" Center Drain with Shut Off Valve
- Stainless Steel Legs & Bracing
- Includes 5" caster

Details can be found on page 22.

Model	Overall Length	Overall Width	Bin Size L" x W"	Capacity
IBM-2418	24"	18-1/4"	21-1/2" x 15"	100 lbs
IBM-3018	30"	18-1/4"	27-1/2" x 15"	127 lbs
IBM-3618	36"	18-1/4"	33-1/2" x 15"	155 lbs

Pass-Thru Combo Ice Bin & Cocktail Station






**NPTS-4235 with
Additional Accessories**



Details

- 18 Gauge 304 Stainless Steel
- Built-in 10-Circuit Cold Plate
- Perforated Stainless Steel Glass Shelf with Drain
- Two 10"L x 14"W x 10"H Dump Sinks with Drains Included
- One Set of Deck Mount Faucet Holes with 4" Centers
- Stainless Steel End Panels Included
- Add-Ons:
 - Single or Double Overshelf: NPO-4215S & NPO-4215D
 - Double Speed Rail: NDR-24, 24"L x 10"W
 - Blender Shelf: NBS-S1610, 16"L x 10"W
 - Soda Gun Holder: NGH-428D

Model	Overall Size (L" x W" x H")
NPTS-4235	42" x 35" x 45"



UNDERBAR - PASS-THRU COMBO

Pass-Thru Combo Accessories

Add-On Blender Station Shelf



NEW

- Model: NBS-S1610
- 16"L x 10"W - Overall Size
- 18 Gauge 304 Stainless Steel

Details can be found on page 22.

Soda Gun Holder



NEW

- Model: NGH-428D
- 4"L x 28"W x 10"H - Overall Size
- 18 Gauge 304 Stainless Steel
- Opening for Soda Guns on Both Ends
- Removable Cover
- Soda Gun & Drip Cup Not Included

Details can be found on page 22.

Double Speed Rail



NEW

- Model: NDR-24
- 24"L x 10"W - Overall Size
- 18 Gauge 304 Stainless Steel

Details can be found on page 23.

NEW

Additional Overshelves for Pass-Thru Station



Model	Length	Width	Height	Type
NPO-4215S	42"	15"	18-1/2"	Single
NPO-4215D	42"	15"	28-1/2"	Double

- Shelf Size - 42"L x 15"W
- 18 Gauge 304 Stainless Steel
- Removable Perforated Pan
- Tubular Legs

Details can be found on page 23.

Soda Gun Holders

Details

- 18 Gauge 304 Stainless Steel
- Removable Cover
- Soda Gun & Drip Cup Not Included
- *NGH-428D - Openings for Soda Guns on Both Ends.

Details can be found on pages 22 - 23.

Model	Length	Width	Height
NGH-418	4"	18-1/4"	19-1/2"
NGH-421	4"	21-1/4"	19-1/2"
NGH-424	4"	24"	19-1/2"
NGH-428D*	4"	28"	10"



NGH-418



NGH-428D






Underbar Machine Stand

Details

- 18 Gauge 304 Stainless Steel
- Overall Height: 32-1/2"
- Working Height: 23"
- Drain Centered in Rear
- Stainless Steel Legs
- Stainless Steel Bullet Feet

Model	Overall Length	Overall Width
NFD-1829	18"	29"





Glass Rack Cabinets with Perforated Drainboard



NGC-242



NGC-243



NGC-242B



NGC-243B



Model	Overall Length	Overall Width
NGC-242	24"	24"
NGC-243	24"	24"
NGC-242B	24"	24"
NGC-243B	24"	24"

Details

- 18 Gauge 304 Stainless Steel
- Open Front
- Overall Height: 32-1/2"
- Perforated Drainboard Insert
- Top Drain
- Stainless Steel Legs
- Stainless Steel Bullet Feet
- NGC-242: One Adjustable Middle Shelf
- NGC-243: Two Sets of Adjustable Rack Slides
- "B" Models Have 12" x 12" Plastic Cutting Board and accommodating Perforated Drainboard Insert

Details can be found on page 24.



Glass Rack Cabinets



GRC24-3



GRC24-2

Details

- 18 Gauge 304 Stainless Steel
- Open Front
- Overall Height: 32-1/2"
- Ribbed Drainboard Top
- 3" Backsplash
- Stainless Steel Legs & Bullet Feet
- Includes Strainers (STN-11C)
- GRC24-2: Fixed Middle Shelf
- GRC24-3: Two Sets of Fixed Rack Slides

Model	Overall Length	Overall Width
GRC24-2	24"	21-1/4"
GRC24-3	24"	21-1/4"

Details can be found on page 24.

Recessed Underbar Drainboards



Details

- 18 Gauge 304 Stainless Steel
- Overall Height: 32-1/2"
- Removable Perforated Drainboard Insert
- 3" Backsplash
- Top Drain
- Stainless Steel Legs
- Stainless Steel Bullet Feet

Model	Overall Length	Overall Width
NDDB-1224	12"	24"
NDDB-1824	18"	24"

Details can be found on page 24.



NDDB-1224

Drainboard with Perforated Insert



NDB-1824



NDB-2424C

NEW

Details

- 18 Gauge 304 Stainless Steel
- Overall Height: 32-1/2"
- Removable Perforated Drainboard Insert
- 3" Backsplash
- Top Drain
- Stainless Steel Legs
- Stainless Steel Bullet Feet
- NDB-2424C - Corner Drainboard Model

Details can be found on page 25.

Model	Overall Length	Overall Width
NDB-1224	12"	24"
NDB-1824	18"	24"
NDB-2424	24"	24"
NDB-2424C	24"	24"



Slim Drainboard with Ribbed Top



UDB-2421

Details

- 18 Gauge 304 Stainless Steel
- Overall Height: 32-1/2"
- Stamped Ribbed Drainboard Top with Drain
- 3" Backsplash
- Stainless Steel Legs
- Stainless Steel Bullet Feet

Details can be found on page 25.

Model	Overall Length	Overall Width	Model	Overall Length	Overall Width
UDB-1218	12"	18-1/4"	UDB-1221	12"	21-1/4"
UDB-1818	18"	18-1/4"	UDB-1821	18"	21-1/4"
UDB-2418	24"	18-1/4"	UDB-2421	24"	21-1/4"
UDB-3018	30"	18-1/4"	UDB-3021	30"	21-1/4"
UDB-3618	36"	18-1/4"	UDB-3621	36"	21-1/4"
UDB-4818	48"	18-1/4"	UDB-4821	48"	21-1/4"

Drainboard with Cabinet Base & Locking Door



Details

- 18 Gauge 304 Stainless Steel
- Cabinet Base
- Locking Hinged Door
- Overall Height: 32-1/2"
- Removable Perforated Drainboard Insert
- 3" Backsplash
- Stainless Steel Legs
- Stainless Steel Bullet Feet

Details can be found on page 25.

Model	Overall Length	Overall Width
NDBC-2424	24"	24"






Underbar POS Cabinet



Details

- 18 Gauge 304 Stainless Steel
- Flat Top with Cord Access
- Locking Louvered Door
- Stainless Steel Side Splashes
- 26" Working Height
- Overall Height: 32-1/2"
- Stainless Steel Legs
- Stainless Steel Bullet Feet

Model	Overall Length	Overall Width
NPS-1824	18"	24"



Underbar Speed Station



Details

- 18 Gauge 304 Stainless Steel
- 3" Backsplash
- Performance Push-Down Glass Rinser Faucet
- Dipper Well with Strainer Basket
- Dipper Well Faucet Not Included
- Non-Slip Flush Mounted Cutting Board
- Overall Height: 14-1/2"

Details can be found on page 25.

Model	Overall Length	Overall Width
NRDS-824B	8"	24"

NEW

NSF

Liquor Display Units



NLD-1221

Details

- 18 Gauge 304 Stainless Steel
- Steps with Guard Rails
- Overall Height: 32-1/2"
- Stainless Steel Legs
- Adjustable Bullet Feet

Details can be found on page 26.



LDC-2421

Model	Overall Length	Overall Width	Bottle Capacity
LD-1218	12"	18-1/4"	13
LD-1818	18"	18-1/4"	20
LD-2418	24"	18-1/4"	27
LD-3618	36"	18-1/4"	40
LD-1221	12"	21-1/4"	13
LD-1821	18"	21-1/4"	20
LD-2421	24"	21-1/4"	27
LD-3621	36"	21-1/4"	40
NLD-1224	12"	24"	15
NLD-1824	18"	24"	20
NLD-2424	24"	24"	30

Details

- Liquor Display Cabinet
- 18 Gauge 304 Stainless Steel
- Overall Height: 32-1/2"
- Stainless Steel Legs
- Adjustable Bullet Feet

Model	Overall Length	Overall Width	Bottle Capacity
LDC-1821	18"	21-1/4"	20
LDC-2421	24"	21-1/4"	30
LDC-3021	30"	21-1/4"	35

NEW

Trash Receptacle Cabinet & Cover

Details

- Trash Receptacle Cabinet
- 18 Gauge 304 Stainless Steel
- Open Bottom
- Hinged Door
- Accommodates Slim Jim Trash Can - 11"L x 22"W x 25"H
- Overall Height: 32-1/2"
- (Trash Can Not Included)

Details can be found on page 26.

Model	Overall Length	Overall Width
TRC-1224	12"	24"



Details

- Trash Receptacle Cover
- 18 Gauge 304 Stainless Steel
- 12"L x 24"W x 14-1/2"H
- Installed between Adjacent Equipment
- Accommodates Slim Jim Trash Can - 11"L x 22"W x 25"H
- (Trash Can Not Included)

Details can be found on page 26.

Model
NTC-1224



NEW

Add-On Blender Station Shelf

Details

- 18 Gauge 304 Stainless Steel
- NBS-S1610 Fits NPTS-4235 Pass Thru Station

Details can be found on page 22.

Model	Overall Length	Overall Width
NBS-S1208	12"	8"
NBS-S1610	16"	10"



UNDERBAR - TRASH UNITS & BLENDER SHELF

Speed Rails

NEW

SR-24D



SR-24S



Details

- 18 Gauge 304 Stainless Steel
- Keyhole Mount
- Includes Mounting Kit
- Updated NRS- models are made to mount on 18" Wide (front - back) NBR products to make overall Width of 24".
- NDR-24 model made for use with NPTS-4235 Pass Thru Station.


Model	Overall Length	Overall Width	Style
SR-24S	24"	4"	Single
SR-30S	30"	4"	Single
SR-36S	36"	4"	Single
SR-48S	48"	4"	Single
NSR-24	24"	5-3/4"	Single
NSR-30	30"	5-3/4"	Single
NSR-36	36"	5-3/4"	Single
NSR-48	48"	5-3/4"	Single

Model	Overall Length	Overall Width	Style
SR-24D	24"	8"	Double
SR-30D	30"	8"	Double
SR-36D	36"	8"	Double
SR-48D	48"	8"	Double
NDR-24	24"	10"	Double

Single Rail



Double Rail



Bottle Wells

BW4-21



BW3-18



NSR-24



Model	Length	Width	Bottles	Fits
BW3-18	6"	16"	3	18" Wide Ice Bins
BW4-21	6"	19"	4	21" Wide Ice Bins

Mixology Unit Parts


Model

UMR-V

Details

- Glass Rinser Faucet
- 1/2" Water Inlet
- Requires Check Valve
- Shut Off & Pressure Regulator (set to 15PSI)


Model

UMR-P

Details

- Glass Rinser Plate
- 14 Gauge 304 SS
- 5-1/5" Diameter
- Fits with UMR-V Faucet

Perforated Sink Bowl Cover


Details


- 18 Gauge 304 Stainless Steel
- Fits 10"L x 14"W (front-back) Sink Bowls

Model

SCR-1014H



Side Splashes for Underbar Equipment


Details

- 16 Gauge 304 Stainless Steel

Model	Length	Height	Fits
UW-S18	18-1/4"	4"	18" Equipment
UD-S21	21-1/4"	4"	21" Equipment
NU-S24	24"	5"	24" Equipment

NEW

Deck Mount Faucets



4" O.C. Deck Mount Faucet



Details

- Brass Body
- Lead Free
- 1/4" Turn Ceramic Cartridges

Model	Spout Type
P3D4	Faucet Body
P3D4S3G	3-1/2" Goose Neck
P3D4S5G	6" Goose Neck
P3D4S6	6" Swing Spout
P3D4S8G	9" Goose Neck
P3D4S8	8" Swing Spout
P3D4S10	10" Swing Spout
P3D4S12	12" Swing Spout
P3D4S14	14" Swing Spout
P3D4S16	16" Swing Spout

8" O.C. Deck Mount Faucet



Details

- Brass Body
- Lead Free
- 1/4" Turn Ceramic Cartridges

Model	Spout Type
P3D8	Faucet Body
P3D8S3G	3-1/2" Goose Neck
P3D8S5G	6" Goose Neck
P3D8S6	6" Swing Spout
P3D8S8G	9" Goose Neck
P3D8S8	8" Swing Spout
P3D8S10	10" Swing Spout
P3D8S12	12" Swing Spout
P3D8S14	14" Swing Spout
P3D8S16	16" Swing Spout

Single Pantry Deck Mount Faucet



Details

- Dual Control Valve
- Brass Body
- Lead Free
- 1/4" Turn Ceramic Cartridges
- 1-1/4" Hole

Model	Spout Type
P2D1	Faucet Body
P2D1S3G	3-1/2" Goose Neck
P2D1S5G	6" Goose Neck
P2D1S6	6" Swing Spout
P2D1S8G	9" Goose Neck
P2D1S8	8" Swing Spout
P2D1S10	10" Swing Spout
P2D1S12	12" Swing Spout
P2D1S14	14" Swing Spout
P2D1S16	16" Swing Spout



Splash Mount Faucets

4" O.C. Splash Mount Shallow Faucet



P3W4S10-SL

Details

- 4" Splash Mount Shallow Faucet
- Brass Body
- Lead Free
- 1/4" Turn Ceramic Cartridges
- Brass Elbow Connections for Shallower Mounting Depth

Model	Spout Type
P3W4SL	Faucet Body
P3W4S3G-SL	3-1/2" Goose Neck
P3W4S5G-SL	6" Goose Neck
P3W4S6-SL	6" Swing Spout
P3W4S8G-SL	9" Goose Neck
P3W4S8-SL	8" Swing Spout
P3W4S10-SL	10" Swing Spout
P3W4S12-SL	12" Swing Spout
P3W4S14-SL	14" Swing Spout
P3W4S16-SL	16" Swing Spout

4" O.C. Splash Mount Faucet



P3W4S5G

P3W4S10

Details

- Brass Body
- Lead Free
- 1/4" Turn Ceramic Cartridges

Model	Spout Type
P3W4	Faucet Body
P3W4S3G	3-1/2" Goose Neck
P3W4S5G	6" Goose Neck
P3W4S6	6" Swing Spout
P3W4S8G	9" Goose Neck
P3W4S8	8" Swing Spout
P3W4S10	10" Swing Spout
P3W4S12	12" Swing Spout
P3W4S14	14" Swing Spout
P3W4S16	16" Swing Spout

8" O.C. Splash Mount Faucet



P3W8S10

Details

- Brass Body
- Lead Free
- 1/4" Turn Ceramic Cartridges

Model	Spout Type	Model	Spout Type
P3W8	Faucet Body	P3W8S8	8" Swing Spout
P3W8S3G	3-1/2" Goose Neck	P3W8S10	10" Swing Spout
P3W8S5G	6" Goose Neck	P3W8S12	12" Swing Spout
P3W8S6	6" Swing Spout	P3W8S14	14" Swing Spout
P3W8S8G	9" Goose Neck	P3W8S16	16" Swing Spout

Pre-Rinse Faucets

8" O.C. Splash Mount Pre-Rinse Faucets



Details

- 18" Riser
- 1/2" NPT Female Inlets
- 44" Flexible Stainless Steel Hose
- Wall Bracket
- Spray Valve Holder & Overhead Spring
- Lead Free Compliance

Model	Spout Type
P3W8-PU	No Add-On Faucet
P3W8S6-PU	6" Swing Spout
P3W8S8-PU	8" Swing Spout
P3W8S10-PU	10" Swing Spout
P3W8S12-PU	12" Swing Spout
P3W8S14-PU	14" Swing Spout
P3W8S16-PU	16" Swing Spout

Single Hole Center Deck-Mount Pre-Rinse Faucets



Details

- 18" Riser
- 44" Flexible Stainless Steel Hose
- Wall Bracket
- Spray Valve Holder & Overhead Spring
- Lead Free Compliance

Model	Spout Type
P2D1-PU	No Add-On Faucet
P2D1S6-PU	6" Swing Spout
P2D1S8-PU	8" Swing Spout
P2D1S10-PU	10" Swing Spout
P2D1S12-PU	12" Swing Spout
P2D1S14-PU	14" Swing Spout
P2D1S16-PU	16" Swing Spout

Model	P7WH	P4A	P6V1	P6H44	P7VHD	P7DK	P7WK90
Description	Chrome-Plate Wrist Handles	Add-On Faucet Without Spout	Spray Valve 1.0 GPM - Water Saving	44" Pre-Rinse Hose Stainless Steel	Handle for P2D1S... Models	Deck Mounting Kit	Wall Mounting Kit



Hands Free Valve Faucets

Single Hole Deck Mount Knee Pedal Valve



Details

- Knee Valves
- 3-1/2" Gooseneck Spout
- Lead Free

Model	Pedals
P5K1-DS3G	Singe
P5K2-DS3G	Double

Single Hole Splash Mount Knee Pedal Valve



Details

- Knee Valves
- 3-1/2" Gooseneck Spout
- Lead Free

Model	Pedals
P5K1-WS3G	Singe
P5K2-WS3G	Double

Single Hole Deck Mount Foot Pedal Valve



Details

- Foot Valves
- 3-1/2" Gooseneck Spout
- Lead Free

Model	Pedals
P5F1-DS3G	Singe
P5F2-DS3G	Double

Single Hole Splash Mount Foot Pedal Valve



Details

- Foot Valves
- 3-1/2" Gooseneck Spout
- Lead Free

Model	Pedals
P5F1-WS3G	Singe
P5F2-WS3G	Double

Pot Filler Faucet



Details

- Single Hole
- Side/Splash Mounted
- 72" Stainless Steel Hose
- Hook Nozzle
- Finger Hook
- Brass Body
- 1/4 Turn Ceramic Cartridges
- Lead Free

Model
P2W1-PF

Dipper Well Faucet



Details

- Chrome-Plated
- 1/2" NPS Male
- Fits NBR Mixology Units

Model
P3D1DW



Service Sink Faucet

Details

- Not NSF
- Heavy Duty
- Wall-Mounted
- Includes Wall Brackets & Support Rod
- 8" O.C.
- 1/2" NPS Female Inlets
- Threaded Spout
- Nickel Plated Cast Brass Body

Model
P2SV

Waste Drains





Model	P5TD2	P5TDF	P5TD1
Description	Twist Handle Waste Drain with Overflow Cap	Twist Handle Waste Drain with Overflow Head & Tube	Twist Handle Waste Drain
Details	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening



Model	P5LD2	P5LDF	P5LD1
Description	Lever Handle Waste Drain with Overflow Cap	Lever Handle Waste Drain with Overflow Head & Tube	Lever Handle Waste Drain
Details	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening	2" Male & 1-1/2" Female Threading, Brass Body, Fits 3-1/2" Standard Sink Opening



Model	P7TDB
Description	Twist Handle Waste Drain Bracket
Details	Height Adjustable



Sink Drains, Overflow Tubes & P-Trap



Model	STN-2	STN-3	STN-4B	STN-11B
Description	Stainless Steel Basket Drain with Crumb Cup	Stainless Steel Basket Drain with Crumb Cup	Mop Sink Drain, Brass	Sink Drain, Lock Nut & Washer, Brass
Details	1-1/2" NPS 2" Opening 2-7/8" Flange	1-1/2" NPS 3-1/2" Opening 4-1/2" Flange	3-1/2" Opening	1" NPS 2" Flange 1-1/2"H



Model	STN-11C	STN-12B	STN-12C
Description	Sink Drain, Lock Nut & Washer, Chrome-Plated Brass	Sink Drain, Lock Nut & Washer	Sink Drain, Lock Nut & Washer, Chrome-Plated Brass
Details	1" NPS, 2" Flange, 1-1/2"H	1" NPS, 2" Flange, 3-1/4"H	1" NPS, 2" Flange, 3-1/4"H



Model	SP-75	SP-10	PT-1
Description	Overflow Tube, Brass	Overflow Tube, Brass	P-Trap with Tail Peice, Chrome-Plated Brass
Details	1-1/4" dia. x 7-1/2"L	1-1/4" dia. x 10"L	1-1/2", Washers Included

Soap Dispenser




- Fits in 1" Hole

Model

SD-1

Sink Bowl Covers



Details

- 16 Gauge 304 Stainless Steel
- Includes Holes for Easy Removal

Model	Fits Bowl Size L" x W"
SCR-1620	16" x 20"
SCR-1818	18" x 18"
SCR-1824	18" x 24"


Model	Fits Bowl Size L" x W"
SCR-2020	20" x 20"
SCR-2030	20" x 30"
SCR-2424	24" x 24"

Removable Side Splashes





Details

- 16 Gauge 304 Stainless Steel
- 12-1/4" Height, 1-5/8" Thick



Model	Overall Length	Clip Length
RSS-18	24"	18"
RSS-20	26"	20"
RSS-24	28"	24"
RSS-30	36"	30"



Sink Legs & Cross-Brace Leg Sets



Details

- Stainless Steel Legs
- SLSH- Models Includes:
 - (1) SLS-xx - Stainless Steel Legs
 - (2) SCBR-xx: Stainless Steel Cross Rails
 - (4) BR-1: Cross-Brace End Fitting

Model	Fits Sink Bowl Size (Width x Bowl Height)	Parts/Details
SLS-10	10"H	Set of Four Legs, Fits Sinks w/ 10" Deep Bowls
SLS-12	12"H	Set of Four Legs, Fits Sinks w/ 12" Deep Bowls
SLS-14	14"H	Set of Four Legs, Fits Sinks w/ 14" Deep Bowls
SLS-14L	14"H*	Leg Set for 1SS-xxxx14Rxx & ..14Lxx Models
SLSH-1014	14"W x 10"H	(1 Set) SLS-10 and (2) SCBR-14
SLSH-1216	16"W x 12"H	(1 Set) SLS-12 and (2) SCBR-16
SLSH-1218	18"W x 12"H	(1 Set) SLS-12 and (2) SCBR-18
SLSH-1220	20"W x 12"H	(1 Set) SLS-12 and (2) SCBR-20
SLSH-1230	30"W x 12"H	(1 Set) SLS-12 and (2) SCBR-30
SLSH-1415	15"W x 14"H	(1 Set) SLS-14 and (2) SCBR-15
SLSH-1418	18"W x 14"H	(1 Set) SLS-14 and (2) SCBR-18
SLSH-1420	20"W x 14"H	(1 Set) SLS-14 and (2) SCBR-20
SLSH-1424	24"W x 14"H	(1 Set) SLS-14 and (2) SCBR-24
SLSH-1430	30"W x 14"H	(1 Set) SLS-14 and (2) SCBR-30

Terms and Conditions

- Any prices listed within are current NBR-approved List Prices.
- All prices, product specifications, and discounts are subject to change without notice. Prices listed herein do not include Federal Excise, Municipal or other use Tax.
- Orders shipping to an active construction site, limited access area, or residential address are subject to additional charges by the carrier. These charges may be applied after shipment/delivery.
- NBR is not responsible for any damage while in the hands of the freight carrier. Inspect immediately for obvious and hidden damage. We suggest you refuse orders mildly/severely damaged. If you accept a damaged delivery, please make note of the damage and extent when signing the Bill of Lading. (For any damage and loss while in transit, promptly file claim against carrier if shipped via Customer Account)
- NBR is not responsible for any delays in delivery that are beyond our control such as bad weather, shortages, delays in transportation, or any other contingencies of similar manner.
- NBR has a Minimum Order Policy of \$50. Orders valued less than the minimum order amount will carry a "Order Minimum" charge. The Order Minimum charge is determined by the difference in the order's value to the \$50 minimum order amount.
- All initial orders from new customers are to be paid in full before the NBR warehouse releases them for shipment. NO EXCEPTIONS.
- Quotes from NBR are good for 30 days, unless otherwise approved by an NBR staff member.

Payment Terms

- A minimum Processing and Handling charge will be added to all Sales Orders.
- For customers with established NBR Equipment credit standing, payment terms are Net 30 days from the date of invoice. NBR will accept all major credit cards, cash, money orders or checks at the time of order, otherwise you can pay through the invoice emailed to you or send an ACH payment within the 30 days. COD is only available for orders being picked up at NBR's warehouse directly by the customer.
- Any dealer choosing to buy NBR equipment must complete and return a Dealer Authorization Form prior to completing any purchase, please contact csr@nbreqquipment.com for the necessary paperwork. Initial orders require full pre-payment before it is released for shipping. • If paying by credit card, please be aware there will be a 3.5% processing fee applied to your invoice.
- Once an account has had two returned checks for any reason, payment by check will not be accepted. This includes returned electronic payments. A hold will be placed on the account affected until the returned check has been redeemed.
- Checks deposited by NBR Equipment and then returned by the bank for insufficient funds or any other reason will be charged a fee of \$50.00, including any bank fees as applicable, that will be placed on the customer's account, no matter the reason.

Returned Check Payment Methods

- Cash - pay in person at the NBR Office located in Cranbury, NJ. Obtain a cash register receipt for your records.
- DO NOT MAIL CASH.
- Certified Funds - make cashier's check, money order, or other certified funds payable to NBR Equipment. Include Account name or #, invoice #, and phone number on the face of the check. Deliver in person or mail certified funds to NBR Equipment, 10 Abeel Road, Cranbury, NJ 08512.

1-Year Limited Warranty

- NBR warrants this product to be free from defects in material or workmanship for a period of one (1) year following the date of purchase.
- The warranty applies only under conditions of normal use and does not apply to defects which result from negligence, misuse, freight damage, improper installation or accidents.
- This warranty is made in lieu of all other warranties express or implied and no additional warranties express or implied including one of merchantability or fitness for a particular purpose are given.
 - The warranty does not include any coverage for loss of business, damages, freight or other miscellaneous expenses incurred due to the defect or in servicing the unit.
 - All prices, pictures and descriptions in this and all NBR publications are subject to change without notice. Please contact us within 30 days regarding price discrepancies.

General Shipping Information

- Orders with a Requested Ship Date of 45 Days or More Must be Approved by VP of Sales & Marketing
- We reserve the right to ship via carriers of our choice if freight isn't specifically marked or defined in the purchase order.
- We will follow customers routing if possible. Unless specified otherwise, all orders will be shipped Best Way/PPA, a nominal charge will be included.
- All merchandise is shipped in optimal condition and packaged in compliance with I.C.C. regulations.
- NBR Equipment is not responsible for any freight damage once it leaves our location. For damage or loss in transit, a claim must be filed by the consignee against the carrier.
- Shipper is not responsible for any unauthorized accessorial charges. All charges will be billed back to customer.
- UPS large packages are subject to an "additional handling" fee. This fee will be added to the invoice where applicable once charged by UPS.
- The following fees can be added to a customer's invoice if additional services are needed by the carrier to ship your order (one charge per order):
 - Delivery Appointment Fee: \$50
 - Liftgate Service Fee: \$75
 - Oversize Additional Handling Fee: \$150
 - Limited Access Fee: \$200
 - Freight charges added to an invoice will include a nominal administrative charge per freight bill, determined by each order's shipping details.

Out of Stock Policy

- Previous Out-of-Stock and Back-Order policies are no longer valid.
- If an item is out of stock in your order, NBR will either ship the order as-complete-as-possible, or we will reach out to you with substitution options.
- If your order is shipped incomplete, you must place a new purchase order for the missing item(s). All orders shipped and invoiced are considered closed.
- If substituting out-of-stock item(s), you must send a revised purchase order reflecting the change(s) to orders@nbreqquipment.com.
- You can always cancel the item on the order and send a revised purchase order to get everything else shipped ASAP or cancel the order altogether and get a full refund.

Return Authorization REQUIRED

ALL returns MUST be approved by NBR. NO returns will be accepted, and NO credit will be issued without a completed and approved Return Authorization form from NBR in advance. All Return Authorization requests must be made by email within 30 days of delivery. All approved return Merchandise must be sent back to NBR's warehouse within 15 days of requesting the Return Authorization Form (RMA). Upon review of the form, NBR will determine if the item(s) are eligible for return. All authorized returns will be subject to a 30% restocking fee to be deducted from the refund amount. Any items returned without prior authorization will be charged a 50% restocking fee. All restocking fees and return shipping charges are to be assessed and deducted from the refund amount before a credit is issued. Authorized returns must be received in unused condition (suitable for resale) and item(s) must be in their original packaging. Upon receipt of authorized returned item(s) NBR will inspect the item(s) to determine if unused, new, and in suitable condition for resale. Refunds will be credited to you within 45 days after we receive the returned item(s). IF NBR HAS TO REPACKAGE THE ITEM FOR SALE, THE COST OF PACKAGING WILL BE DEDUCTED FROM THE REFUND. The customer is responsible for all return shipping costs. The customer can arrange for return shipping to NBR but will not be reimbursed for return shipping costs. If NBR arranges for pickup of the item(s) to be returned, a Return Shipping Charge will be deducted from any refund amount before credit is issued. Special order, cut-to-order, and customized items typically cannot be returned. For special order, cut-to-order, and customized items to be delivered, you may contact a customer service team member at NBR to discuss alternatives or possible arrangements to return to manufacturer. Special order, cut-to-order, and customized items that may be returnable must be in unused condition (suitable for resale) and item(s) must be in original packaging. Note that manufacturer return, and restocking policies and fees may be in addition to and may differ from those of NBR and the customer is entirely responsible for meeting the requirements of any return to manufacturer. All restocking fees and return shipping charges are to be assessed and deducted from the refund amount before a credit is issued. To request authorization to return item(s), contact a customer service team member at (609) 642-8389. The Return Authorization Form can be sent to you by email or fax. NOTE: Any items returned to NBR without a completed and approved RMA Form may be refused and credit will not be issued.

NOTES

[illegible]

Model Number Index

Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page
1BSG-1818	80	2BSG-2424	80	3SG-151514R15	69	3SS-242414	65	CDT-72R	47
1BSG-1821	80	2SG-162012	68	3SG-151514R24	69	3SS-242414L18	65	CDT-72R-16	47
1BSG-2424	80	2SG-162012L18	68	3SG-162012	69	3SS-242414L24	65	CGI-48	42
1SG-162012	67	2SG-162012LR18	68	3SG-162012L18	69	3SS-242414LR24	66	CGI-60	42
1SG-162012L18	67	2SG-162012R18	68	3SG-162012LR18	70	3SS-242414R18	65	CGI-72	42
1SG-162012LR18	67	2SG-181812	68	3SG-162012R18	69	3SS-242414R24	65	CGO-48	42
1SG-162012R18	67	2SG-181812L18	68	3SG-162014LR18	70	3TP-5-PU-B	44	CGO-60	42
1SG-181812	67	2SG-181812LR18	68	3SG-181812	69	3TP-5-PU-B-TLB	44	CGO-72	42
1SG-181812L18	67	2SG-181812R18	68	3SG-181812L18	69	4SG-162014LR18	71	CMPR-48	62
1SG-181812LR18	67	2SG-202012LR18	68	3SG-181812LR18	70	4SS-182414LR18	71	CMPR-60	62
1SG-181812R18	67	2SG-242414	68	3SG-181812R18	69	BDD-1818	80	CMPR-72	62
1SG-182414	67	2SG-242414L24	68	3SG-181814LR18	70	BDD-1821	80	CRG-2424	46
1SG-182414L24	67	2SG-242414LR24	68	3SG-181814LR24	70	BDD-2424	80	CRG-2430	46
1SG-182414LR24	67	2SG-242414R24	68	3SG-182414L24	69	BEV-6030L	41	CRG-2436	46
1SG-182414R24	67	2SS-162014	64	3SG-182414LR18	70	BEV-6030R	41	CRG-2448	46
1SG-202012	67	2SS-162014L18	64	3SG-182414LR24	70	BEV-7230L	41	CRG-2460	46
1SG-242414	67	2SS-162014LR18	64	3SG-182414R24	69	BEV-7230R	41	CRG-2472	46
1SG-242414L24	67	2SS-162014R18	64	3SG-202012LR18	70	BEV-T6030L	41	CRG-2484	46
1SG-242414LR24	67	2SS-181814	64	3SG-202014LR24	70	BEV-T6030R	41	CRG-2496	46
1SG-242414R24	67	2SS-181814L18	64	3SG-203012LR20	70	BEV-T7230L	41	CRG-3030	46
1SS-162014	63	2SS-181814LR18	64	3SG-203014LR24	70	BEV-T7230R	41	CRG-3036	46
1SS-162014L18	63	2SS-181814R18	64	3SG-242414	69	BR-1	45	CRG-3048	46
1SS-162014LR18	63	2SS-182414	64	3SG-242414L24	69	BR-2	45	CRG-3060	46
1SS-162014R18	63	2SS-182414L18	64	3SG-242414LR24	70	BR-3	45	CRG-3072	46
1SS-181814	63	2SS-182414LR18	64	3SG-242414R24	69	BW3-18	107	CRG-3084	46
1SS-181814L18	63	2SS-182414R18	64	3SS-143114LR18	66	BW4-21	107	CRG-3096	46
1SS-181814LR18	63	2SS-242414	64	3SS-162014	65	CDT-24L-16	47	CRS-2424	46
1SS-181814R18	63	2SS-242414L24	64	3SS-162014L18	65	CDT-24R-16	47	CRS-2430	46
1SS-182414	63	2SS-242414LR24	64	3SS-162014LR18	66	CDT-26L	47	CRS-2436	46
1SS-182414L18	63	2SS-242414R24	64	3SS-162014LR24	66	CDT-26L-16	47	CRS-2448	46
1SS-182414L24	63	3BSG-1221	80	3SS-162014R18	65	CDT-26R	47	CRS-2460	46
1SS-182414LR18	63	3BSG-1818	80	3SS-181814	65	CDT-26R-16	47	CRS-2472	46
1SS-182414LR24	63	3BSG-1821	80	3SS-181814L18	65	CDT-36L	47	CRS-2484	46
1SS-182414R18	63	3BSG-2424	80	3SS-181814LR18	66	CDT-36L-16	47	CRS-2496	46
1SS-182414R24	63	3CSG-181814LR18	72	3SS-181814R18	65	CDT-36R	47	CRS-3030	46
1SS-242414	63	3CSG-181814LR24	72	3SS-182414	65	CDT-36R-16	47	CRS-3036	46
1SS-242414L24	63	3CSG-242414LR24	72	3SS-182414L18	65	CDT-48L	47	CRS-3048	46
1SS-242414LR24	63	3SG-101410	69	3SS-182414LR18	66	CDT-48L-16	47	CRS-3060	46
1SS-242414R24	63	3SG-101410L15	69	3SS-182414LR24	66	CDT-48R	47	CRS-3072	46
2BSG-1818	80	3SG-101410LR15	70	3SS-182414R18	65	CDT-48R-16	47	CRS-3084	46
2BSG-1821	80	3SG-101410R15	69	3SS-203014	65	CDT-60L	47	CRS-3096	46
		3SG-122012LR12	70	3SS-203014L18	65	CDT-60L-16	47	CRS-3648	46
		3SG-141612LR12	70	3SS-203014LR20	66	CDT-60R	47	CRS-3660	46
		3SG-151514	69	3SS-203014LR24	66	CDT-60R-16	47	CRS-3672	46
		3SG-151514L15	69	3SS-203014LR30	66	CDT-72L	47	CRS-3684	46
		3SG-151514LR15	70	3SS-203014R18	65	CDT-72L-16	47		

Model Number Index

Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page
DC-1536	33	ESS-3630	37	HT-3W-120	39	LD-1818	105	NBS-1224H	89
DC-1548	33	ESS-4830	37	HT-3W-120B	39	LD-1821	105	NBS-1824H	89
DC-1560	33	ESS-6030	37	HT-4-SOS	40	LD-2418	105	NBS-S1208	106
DC-1572	33	ESS-7230	37	HT-4SW-240	39	LD-2421	105	NBS-S1610	106
DC-1836	33	FT-G1224	55	HT-4SW-240B	39	LD-3618	105	NDB-1224	103
DC-1848	33	FT-G1236	55	HT-4W-120	39	LD-3621	105	NDB-1824	103
DC-1860	33	FT-G1248	55	HT-4W-120B	39	LDC-1821	105	NDB-2424	103
DC-1872	33	FT-G1260	55	HT-1P	40	LDC-2421	105	NDB-2424C	103
DI-1-091106STD	77	FT-G1824	55	HT-SPSW	40	LDC-3021	105	NDBC-2424	104
DI-1-091106TD	77	FT-G1836	55	HT-SPW	40	LS-1	44	NDDB-1224	102
DI-1-101405LR	78	FT-G1848	55	HUSC-2025	76	LS-G	44	NDDB-1824	102
DI-1-101410	78	FT-G1860	55	IB-2418	96	LS-GP	44	NDR-24	107
DI-1-101410LR	78	FT-RG	44	IB-2421	96	LSM-S	44	NFD-1829	100
DI-1-201608	78	FT-RP	44	IB-3018	96	LS-S	44	NGC-242	101
DI-1-201612	78	FT-RS	44	IB-3021	96	LS-SP	44	NGC-242B	101
DI-1-282012	78	FT-RSF	44	IB-3618	96	LT-G4	45	NGC-243	101
DI-2-101410	78	FT-RSFH	44	IB-3621	96	LT-G	45	NGC-243B	101
DI-2-141612	78	FT-RSP	44	IB-4818	96	LT-S4	45	NGH-418	100
DI-2-201612	78	GI-100	56	IB-4821	96	MHS-26	76	NGH-421	100
DI-3-101410	78	GI-14	56	IBB-4824	97	LT-S	45	NGH-424	100
DI-3-162012	78	GI-20	56	IBB-L48	97	MOP-162006	53	NGH-428D	100
DIB-1218	94	GI-30	56	IBC-2418C7	96	MOP-162012	53	NLD-1224	105
DIB-1821-WS	95	GI-40	56	IBC-2421C7	96	MOP-242406	53	NLD-1824	105
DIB-2118-WS	95	GI-50	56	IBC-3018C10	96	MOP-242412	53	NLD-2424	105
DIB-2-2118	94	GI-70	56	IBC-3018C7	96	MOP-282012	53	NPO-4215D	99
DIB-2218	94	GI-8	56	IBC-3021C10	96	MSC-2522	54	NPO-4215S	99
DIB-2818	94	GRC24-2	102	IBC-3021C7	96	MSC-4822L	54	NPS-1824	104
DIB-3418	94	GRC24-3	102	IBC-3618C10	96	MSC-4822R	54	NPTS-4235	98
DTU-S24	50	HK1	45	IBC-3618C7	96	MSF-S24L	53	NRDS-824B	105
DTU-S30	50	HK2	45	IBC-3621C10	96	MSF-S24LR	53	NSR-24	107
DTU-S36	50	HS1-D2-S	74	IBC-3621C7	96	MSF-S24R	53	NSR-30	107
DTU-S48	50	HS1-W2-LR	74	IBC-4818C10	96	MSG-2424	38	NSR-36	107
DTU-S60	50	HS1-W2-LR-TD	75	IBC-4818C7	96	MSG-3024	38	NSR-48	107
DTU-S72	50	HS2-D1-KB	73	IBC-4821C10	96	MSG-3030	38	NTC-1224	106
ES-5-PU-B	44	HS2-D1-LR-KB	73	IBC-4821C7	96	MSG-3630	38	NU-S24	108
ES-5-PU-B-TLB	44	HS2-D2-S	74	IBM-2418	97	MSS-2424	38	NW-1224TD	88
ESG-1530	37	HS2-W1	73	IBM-3018	97	MSS-3024	38	P2D1	109
ESG-1830	37	HS2-W1-KB	73	IBM-3618	97	MSS-3030	38	P2D1-PU	111
ESG-2430	37	HS2-W1-LR-KB	73	LC-G	44	MSS-3630	38	P2D1S10	109
ESG-3630	37	HS2-W1-PD	75	LC-G4	44	MSS-2424UR	38		
ESG-4830	37	HS2-W2	74	LC-G6	44	MSS-3024UR	38		
ESG-6030	37	HS2-W2-4-TD	75	LC-S	44	MSS-3030UR	38		
ESG-7230	37	HS2-W2-LR	74	LC-S4	44	MWS-1824	61		
ESS-1530	37	HT-3-SOS	40	LC-S6	44	MWS-2024	61		
ESS-1830	37	HT-3SW-240	39	LD-1218	105	MWS-2030	61		
ESS-2430	37	HT-3SW-240B	39	LD-1221	105	MWS-2424	61		

Model Number Index

Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page
P2D1S10-PU	111	P3W4S12-SL	110	P5TD2	81	PS-1672	60	SB-202010-14	79
P2D1S12	109	P3W4S14	110	P5TDF	81	PS-1684	60	SB-202012-14	79
P2D1S12-PU	111	P3W4S14-SL	110	P6H44	111	PS-1696	60	SB-202012-16	79
P2D1S14	109	P3W4S16	110	P6V1	111	PSMS-1248D	57	SB-202014-14	79
P2D1S14-PU	111	P3W4S16-SL	110	P7DK	111	PSMS-1248S	57	SB-202812-16	79
P2D1S16	109	P3W4S3G	110	P7TDB	81	PSMS-1260D	57	SB-242412-16	79
P2D1S16-PU	111	P3W4S3G-SL	110	P7VHD	111	PSMS-1260S	57	SB-242414-14	79
P2D1S3G	109	P3W4S5G	110	P7WH	111	PSMS-1272D	57	SB-242414-16	79
P2D1S5G	109	P3W4S5G-SL	110	P7WK90	111	PSMS-1272S	57	SCR-1014H	108
P2D1S6	109	P3W4S6	110	PAN-2015	43	PSMS-1848D	57	SCR-1620	82
P2D1S6-PU	111	P3W4S6-SL	110	PAN-2020	43	PSMS-1848S	57	SCR-1818	82
P2D1S8	109	P3W4S8	110	PB-1824	50	PSMS-1860D	57	SCR-1824	82
P2D1S8G	109	P3W4S8G	110	PB-2020	50	PSMS-1860S	57	SCR-2020	82
P2D1S8-PU	111	P3W4S8G-SL	110	PB-2030	50	PSMS-1872D	57	SCR-2030	82
P2SV	112	P3W4S8-SL	110	PB-2424	50	PSMS-1872S	57	SCR-2424	82
P2W1-PF	112	P3W4SL	110	PR1-4	60	PT-1	114	SD-1	114
P3D1DW	112	P3W8	110	PR1-5	60	PTG-1620L4	36	SDT-26L	48
P3D4	109	P3W8-PU	111	PR1-6	60	PTG-1620L5	36	SDT-26L-16	48
P3D4S10	109	P3W8S10	110	PR1-8	60	PTG-1620L6	36	SDT-26R	48
P3D4S12	109	P3W8S10-PU	111	PR2-3	60	PTG-1620R4	36	SDT-26R-16	48
P3D4S14	109	P3W8S12	110	PR2-4	60	PTG-1620R5	36	SDT-36L	48
P3D4S16	109	P3W8S12-PU	111	PR2-5	60	PTG-1620R6	36	SDT-36L-16	48
P3D4S3G	109	P3W8S14	110	PR2-6	60	PTS-1620L4	36	SDT-36R	48
P3D4S5G	109	P3W8S14-PU	111	PR2-8	60	PTS-1620L5	36	SDT-36R-16	48
P3D4S6	109	P3W8S16	110	PR-T24	45	PTS-1620L6	36	SDT-48L	48
P3D4S8	109	P3W8S16-PU	111	PR-T30	45	PTS-1620R4	36	SDT-48L-16	48
P3D4S8G	109	P3W8S3G	110	PR-T36	45	PTS-1620R5	36	SDT-48R	48
P3D8	109	P3W8S5G	110	PR-WS24	59	PTS-1620R6	36	SDT-48R-16	48
P3D8S10	109	P3W8S6	110	PR-WS30	59	RSS-18	82	SDT-60L	48
P3D8S12	109	P3W8S6-PU	111	PR-WS36	59	RSS-20	82	SDT-60L-16	48
P3D8S14	109	P3W8S8	110	PR-WS42	59	RSS-24	82	SDT-60R	48
P3D8S16	109	P3W8S8G	110	PR-WS48	59	RSS-30	82	SDT-60R-16	48
P3D8S3G	109	P3W8S8-PU	111	PR-WS60	59	SB-111511-16	79	SDT-72L	48
P3D8S5G	109	P4A	111	PS-1224	60	SB-141008-14	79	SDT-72L-16	48
P3D8S6	109	P5F1-DS3G	112	PS-1230	60	SB-161610-16	79	SDT-72R	48
P3D8S8	109	P5F1-WS3G	112	PS-1236	60	SB-161812-14	79	SDT-72R-16	48
P3D8S8G	109	P5F2-DS3G	112	PS-1248	60	SB-161812-16	79	SDT3-202012L20	49
P3W4	110	P5F2-WS3G	112	PS-1260	60	SB-161814-16	79	SDT3-202012R20	49
P3W4S10	110	P5K1-DS3G	112	PS-1272	60	SB-162012-16	79	SDT3C-202012L20	49
P3W4S10-SL	110	P5K1-WS3G	112	PS-1284	60	SB-162014-14	79	SDT3C-202012R20	49
P3W4S12	110	P5K2-DS3G	112	PS-1296	60	SB-181812-16	79	SKS-2020	52
		P5K2-WS3G	112	PS-1624	60	SB-182412-16	79	SLB-2020	50
		P5LD1	81	PS-1630	60	SB-182414-14	79	SLS-10	82
		P5LD2	81	PS-1636	60	SB-182414-16	79	SLS-12	82
		P5LDF	81	PS-1648	60	SB-202008-14	79	SLS-14	82
		P5TD1	81	PS-1660	60	SB-202008-16	79	SLS-14L	82

Model Number Index

Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page
SLSH-1014	82	TCB-6030	34	TG-3624R-X	32	TG-7230R5	31	TMS-1836D	58
SLSH-1216	82	TCB-6030R5	34	TG-3624-X	32	TG-7230R5-X	32	TMS-1836S	58
SLSH-1218	82	TCB-6030R5S	34	TG-3630	31	TG-7230R-X	32	TMS-1848D	58
SLSH-1220	82	TCB-6030S	34	TG-3630R	31	TG-7230-X	32	TMS-1848S	58
SLSH-1230	82	TCB-7224	34	TG-3630R5	31	TG-8424	31	TMS-1860D	58
SLSH-1415	82	TCB-7224R5	34	TG-3630R5-X	32	TG-8424R	31	TMS-1860S	58
SLSH-1418	82	TCB-7224R5S	34	TG-3630R-X	32	TG-8424R5	31	TMS-1872D	58
SLSH-1420	82	TCB-7224S	34	TG-3630-X	32	TG-8424R5-X	32	TMS-1872S	58
SLSH-1424	82	TCB-7230	34	TG-4818	31	TG-8424R-X	32	TMS-1896D	58
SLSH-1430	82	TCB-7230R5	34	TG-4818R	31	TG-8424-X	32	TMS-1896S	58
SP-10	114	TCB-7230R5S	34	TG-4824	31	TG-8430	31	TP-12	55
SP-75	114	TCB-7230S	34	TG-4824R	31	TG-8430R	31	TP-18	55
SR-24D	107	TCBC-3624R5	33	TG-4824R5	31	TG-8430R5	31	TP-24	55
SR-24S	107	TCBC-4830R5	33	TG-4824R5-X	32	TG-8430R5-X	32	TP-36	55
SR-30D	107	TCBC-3624R5-1014	33	TG-4824R-X	32	TG-8430R-X	32	TP-48	55
SR-30S	107	TDR-1820	43	TG-4824-X	32	TG-8430-X	32	TP-60	55
SR-36D	107	TDR-1820L	43	TG-4830	31	TG-9618	31	TP-72	55
SR-36S	107	TDR-2015	43	TG-4830R	31	TG-9618R	31	TRC-1224	106
SR-48D	107	TDR-2015L	43	TG-4830R5	31	TG-9624	31	TS-2418	28
SR-48S	107	TDR-2020	43	TG-4830R5-X	32	TG-9624R	31	TS-2418R	28
SSR-21	51	TDR-2020L	43	TG-4830R-X	32	TG-9624R5	31	TS-2424	28
SSR-42	51	TDU-26	76	TG-4830-X	32	TG-9624R5-X	32	TS-2424R	28
SSR-63	51	TG-2424	31	TG-6018	31	TG-9624R-X	32	TS-2424R5	28
STN-11B	114	TG-2424R	31	TG-6018R	31	TG-9624-X	32	TS-2424R5-X	30
STN-11C	114	TG-2424R5	31	TG-6024	31	TG-9630	31	TS-2424R-X	30
STN-12B	114	TG-2424R5-X	32	TG-6024R	31	TG-9630R	31	TS-2424-X	30
STN-12C	114	TG-2424R-X	32	TG-6024R5	31	TG-9630R5	31	TS-3018	28
STN-2	114	TG-2424-X	32	TG-6024R5-X	32	TG-9630R5-X	32	TS-3018R	28
STN-3	114	TG-3024	31	TG-6024R-X	32	TG-9630R-X	32	TS-3024	28
STN-4B	114	TG-3024R	31	TG-6024-X	32	TG-9630-X	32	TS-3024R	28
SVS-2016	52	TG-3024R5	31	TG-6030	31	TG-F1524	35	TS-3024R5	28
TCB-3624S	34	TG-3024R5-X	32	TG-6030R	31	TG-F1530	35	TS-3024R5-X	30
TCB-3630R5S	34	TG-3024R-X	32	TG-6030R5	31	TG-F1824	35	TS-3024R-X	30
TCB-3630S	34	TG-3024-X	32	TG-6030R5-X	32	TG-F1830	35	TS-3024-X	30
TCB-4824	34	TG-3030	31	TG-6030R-X	32	TG-F2430	35	TS-3030	28
TCB-4824R5	34	TG-3030R	31	TG-6030-X	32	TMR-6P	42	TS-3030R	28
TCB-4824R5S	34	TG-3030R5	31	TG-7218	31	TMS-1236D	58	TS-3030R5	28
TCB-4824S	34	TG-3030R5-X	32	TG-7218R	31	TMS-1236S	58	TS-3030R5-X	30
TCB-4830	34	TG-3030R-X	32	TG-7224	31	TMS-1248D	58	TS-3030R-X	30
TCB-4830R5	34	TG-3030-X	32	TG-7224R	31	TMS-1248S	58	TS-3030-X	30
TCB-4830R5S	34	TG-3618	31	TG-7224R5	31	TMS-1260D	58	TS-3618	28
TCB-4830S	34	TG-3618R	31	TG-7224R5-X	32	TMS-1260S	58		
TCB-6024	34	TG-3624	31	TG-7224R-X	32	TMS-1272D	58		
TCB-6024R5	34	TG-3624R	31	TG-7224-X	32	TMS-1272S	58		
TCB-6024R5S	34	TG-3624R5	31	TG-7230	31	TMS-1296D	58		
TCB-6024S	34	TG-3624R5-X	32	TG-7230R	31	TMS-1296S	58		

Model Number Index

Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page	Model Number	Page
TS-3618R	28	TS-7218	28	TS-F1824	33	TS4-8430-X	30	TS6-7224R5	28
TS-3624	28	TS-7218R	28	TS-F1830	33	TS4-8436	28	TS6-7224R5-X	30
TS-3624R	28	TS-7224	28	TS-F1836	33	TS4-8436R5	28	TS6-7224-X	30
TS-3624R5	28	TS-7224R	28	TS-F2430	33	TS4-8436R5-X	30	TS6-7230	28
TS-3624R5-X	30	TS-7224R5	28	TS4-2436R5	28	TS4-8436-X	30	TS6-7230R5	28
TS-3624R-X	30	TS-7224R5-X	30	TS4-3030	28	TS4-9630	28	TS6-7230R5-X	30
TS-3624-X	30	TS-7224R-X	30	TS4-3030R5	28	TS4-9630R5	28	TS6-7230-X	30
TS-3630	28	TS-7224-X	30	TS4-3030R5-X	30	TS4-9630R5-X	30	TS6-8424	28
TS-3630R	28	TS-7230	28	TS4-3030-X	30	TS4-9630-X	30	TS6-8424R5	28
TS-3630R5	28	TS-7230R	28	TS4-3630	28	TS6-2424	28	TS6-8424R5-X	30
TS-3630R5-X	30	TS-7230R5	28	TS4-3630R5	28	TS6-2424R5	28	TS6-8424-X	30
TS-3630R-X	30	TS-7230R5-X	30	TS4-3630R5-X	30	TS6-2424R5-X	30	TS6-8430	28
TS-3630-X	30	TS-7230R-X	30	TS4-3630-X	30	TS6-2424-X	30	TS6-8430R5	28
TS-4818	28	TS-7230-X	30	TS4-4830	28	TS6-3024	28	TS6-8430R5-X	30
TS-4818R	28	TS-8418	28	TS4-4830R5	28	TS6-3024R5	28	TS6-8430-X	30
TS-4824	28	TS-8418R	28	TS4-4830R5-X	30	TS6-3024R5-X	30	TS6-9624	28
TS-4824R	28	TS-8424	28	TS4-4830-X	30	TS6-3024-X	30	TS6-9624R5	28
TS-4824R5	28	TS-8424R	28	TS4-4836	28	TS6-3030	28	TS6-9624R5-X	30
TS-4824R5-X	30	TS-8424R5	28	TS4-4836R	28	TS6-3030R5	28	TS6-9624-X	30
TS-4824R-X	30	TS-8424R5-X	30	TS4-4836R5	28	TS6-3030R5-X	30	TS6-9630	28
TS-4824-X	30	TS-8424R-X	30	TS4-4836R5-X	30	TS6-3030-X	30	TS6-9630R5	28
TS-4830	28	TS-8424-X	30	TS4-4836R-X	30	TS6-3624	28	TS6-9630R5-X	30
TS-4830R	28	TS-8430	28	TS4-4836-X	30	TS6-3624R5	28	TS6-9630-X	30
TS-4830R5	28	TS-8430R	28	TS4-6030	28	TS6-3624R5-X	30	TSS-22	51
TS-4830R5-X	30	TS-8430R5	28	TS4-6030R5	28	TS6-3624-X	30	TSS-42	51
TS-4830R-X	30	TS-8430R5-X	30	TS4-6030R5-X	30	TS6-3630	28	TSS-63	51
TS-4830-X	30	TS-8430R-X	30	TS4-6030-X	30	TS6-3630R5	28	TSS-D36	51
TS-6018	28	TS-8430-X	30	TS4-6036	28	TS6-3630R5-X	30	TSS-D48	51
TS-6018R	28	TS-9618	28	TS4-6036R	28	TS6-3630-X	30	TSS-D60	51
TS-6024	28	TS-9618R	28	TS4-6036R5	28	TS6-4824	28	TSS-D72	51
TS-6024R	28	TS-9624	28	TS4-6036R5-X	30	TS6-4824R5	28	UD-1-1014-1221V	87
TS-6024R5	28	TS-9624R	28	TS4-6036R-X	30	TS6-4824R5-X	30	UD-1-1014-1421V	87
TS-6024R5-X	30	TS-9624R5	28	TS4-6036-X	30	TS6-4824-X	30	UD-2-101410-24	92
TS-6024R-X	30	TS-9624R5-X	30	TS4-7230	28	TS6-4830	28	UD-2-101410-36L	92
TS-6024-X	30	TS-9624R-X	30	TS4-7230R5	28	TS6-4830R5	28	UD-2-101410-36R	92
TS-6030	28	TS-9624-X	30	TS4-7230R5-X	30	TS6-4830R5-X	30	UD-2-101410-48L	92
TS-6030R	28	TS-9630	28	TS4-7230-X	30	TS6-4830-X	30	UD-2-101410-48LR	93
TS-6030R5	28	TS-9630R	28	TS4-7236	28	TS6-6024	28	UD-2-101410-48R	92
TS-6030R5-X	30	TS-9630R5	28	TS4-7236R	28	TS6-6024R5	28	UD-3-101410-36	92
TS-6030R-X	30	TS-9630R5-X	30	TS4-7236R5	28	TS6-6024R5-X	30	UD-3-101410-48L	92
TS-6030-X	30	TS-9630R-X	30	TS4-7236R5-X	30	TS6-6024-X	30	UD-3-101410-48R	92
		TS-9630-X	30	TS4-7236R-X	30	TS6-6030	28	UD-3-101410-60L	92
		TS-F1236	33	TS4-7236-X	30	TS6-6030R5	28	UD-3-101410-60LR	93
		TS-F1524	33	TS4-8430	28	TS6-6030R5-X	30	UD-3-101410-60R	92
		TS-F1530	33	TS4-8430R5	28	TS6-6030-X	30	UD-3-101410-72LR	93
		TS-F1536	33	TS4-8430R5-X	30	TS6-7224	28	UD-3-101410-84LR	93

Model Number Index

Model Number	Page	Model Number	Page	Model Number	Page
UD-3-101410-96LR	93	UW-4-101410-48	91	WS-18LSR	61
UD-4-101410-48	92	UW-4-101410-72LR	93	WS-24LS	61
UD-4-101410-72LR	93	UW-4-101410-84LR	93	WS-24LSR	61
UD-4-101410-84LR	93	UW-4-101410-96LR	93	WS-36LS	61
UD-4-101410-96LR	93	UW-S18	108	WS-36LSR	61
UDB-1218	103	WCH-1524	62	WS-48LS	61
UDB-1221	103	WCH-1530	62	WS-48LSR	61
UDB-1818	103	WCH-1536	62	WS-US	61
UDB-1821	103	WCH-1548	62		
UDB-2418	103	WCO-1524	62		
UDB-2421	103	WCO-1530	62		
UDB-3018	103	WCO-1536	62		
UDB-3021	103	WCO-1548	62		
UDB-3618	103	WS-1224	59		
UDB-3621	103	WS-1224E	59		
UDB-4818	103	WS-1230	59		
UDB-4821	103	WS-1236	59		
UD-S21	108	WS-1236E	59		
UMRDS-1424	90	WS-1248	59		
UMR-P	108	WS-1248E	59		
UMRS-1224	90	WS-1260	59		
UMR-V	108	WS-1260E	59		
UW-1-1012-1218-TDV	88	WS-1272	59		
UW-1-1012-1221-TDV	88	WS-1272E	59		
UW-1-1012-1518-TDV	88	WS-1284	59		
UW-1-1012-1521-TDV	88	WS-1284E	59		
UW-1-1014-1218V	87	WS-1296	59		
UW-1-1014-1418V	87	WS-1296E	59		
UW-1-1014-2418-RH	89	WS-1624	59		
UW-1-1410-1818-H	89	WS-1624E	59		
UW-1-1410-1821-H	89	WS-1630	59		
UW-2-101410-24	91	WS-1636	59		
UW-2-101410-36L	91	WS-1636E	59		
UW-2-101410-36R	91	WS-1648	59		
UW-2-101410-48L	91	WS-1648E	59		
UW-2-101410-48LR	93	WS-1660	59		
UW-2-101410-48R	91	WS-1660E	59		
UW-3-101410-36	91	WS-1672	59		
UW-3-101410-48L	91	WS-1672E	59		
UW-3-101410-48R	91	WS-1684	59		
UW-3-101410-60L	91	WS-1684E	59		
UW-3-101410-60LR	93	WS-1696	59		
UW-3-101410-60R	91	WS-1696E	59		
UW-3-101410-72LR	93	WS-16LS	61		
UW-3-101410-84LR	93	WS-16LSR	61		
UW-3-101410-96LR	93	WS-18LS	61		



***Two Distribution Points
to Serve your Needs!***

VISIT OUR WEBSITE: NBREQUIPMENT.COM



Need assistance? Our team is always happy to help!

Customer Service Contacts:

(609) 642-8389

csr@nbrequipment.com

Follow us on social media to stay up to date on our latest products & announcements!

